

# Skynex

Shenzhen Skynex Tech Co.,Ltd.



- 20 production lines
- 8000+ m<sup>2</sup>
- 500+ employees
- 10000+ cooperators
- 20 million production capacity

► Mob: +86 188 2370 9809

► ShenZhen Office: 6 /F, Sanhe Science and Technology Park, No. 1, Sanhe Road, Gaofeng Community, Dalang Street, Longhua District, ShenzhenCity, Guangdong Province, China

► Factory Address: No.16, Xinyuan South Road, Shahu Community, Tangxia Town, Dongguan City, Guangdong Province, China.

► Email: [info@skynex-doorbell.com](mailto:info@skynex-doorbell.com)  
[rose@skynex-doorbell.com](mailto:rose@skynex-doorbell.com)

► Website: [www.skynex-doorbell.com](http://www.skynex-doorbell.com)

► Factory 3D VR: [www.skynex-doorbell.com/3d-vr/](http://www.skynex-doorbell.com/3d-vr/)

# Skynex

since 1998

## 27+ Years

### OEM/ODM Video Door Phone Intercom Manufacturer

Looking for Distributors Around the World



## BUSINESS COOPERATION

One Stop Solutions of Video Door Phone Intercom





## COMPANY PROFILE

Skynex is the only source manufacturer of video door phone intercom in China since 1998 from TFT LCD, Driver board, Camera module to Villa and Apartment intercom. We support customized software & hardware / UI interface / Function / Package, Etc.

First, Skynex provide SKD solutions to assembly factories, such as in Iran, Turkey, Korea, Italy, which can reduce product cost and customs. 50% of the assembly factories in China also buy semi parts from us.

Second, we have proven and rich experience with large apartment projects. 28 direct marketing branches for the domestic market in China. More than 10000+ big building VDP intercom projects over 1000, 3000, 5000 apartments in 1 community. Choosing us will be your right choice if you also have engineering projects for apartment.

Last but not least, Carefree after-sales services. After purchasing our products, we add after-sales tech group to guide you program, setup, installation, wiring, etc. NO MOQ, support OEM/ODM. Welcome to do sample testing.



## Certification





## In 1998

SKYNEX factory was established.  
Focus on R&D of color LCD screen and LCD display driver board technology.  
Released small and medium-sized TFT LCD screen and LCD display driver board.  
SKYNEX was the first enterprise in China to launch such products.

## In 2006

Led China's video door phone intercom industry from black and white CRT to color LCD screen technical revolution.  
SKYNEX Invested 4 million dollars to establish a 4-inch screen production line and became the first enterprise in China to produce 4-inch color LCD screens.  
In the same year, the display drive technology made a major breakthrough, reducing the cost of video door phone intercom color LCD module, the cost is lower than the mainstream black and white CRT display module at that time.

## From 2007 to 2009

SKYNEX became the first market share of video door phone in China.  
After the first release of 4.3 inches, 7 inches and other products, in 2009 became the first market share of video intercom display driver products, the market share of more than 90%.  
After the first release of 4.3 inches, 7 inches and other products, in 2009 became the first market share of video intercom display driver products, the market share of more than 90%.

## Since 2010

SKYNEX established a nationwide marketing network in China, with 26 direct branches and agents.

## In 2015

SKYNEX became excellent OEM/ODM supplier for first-line brand of video door phone intercom products in domestic and foreign.  
SKYNEX was awarded as the excellent partner of by LEELEN.

## In 2016

SKYNEX became the designated Supplier of Smart Nation in Singapore. Establish a security equipment supply company in Singapore with a Singapore-listed security service provider. Then, SKYNEX brand undertakes Singapore Smart Nation project.

## In 2017

SKYNEX factory moved from Shenzhen to Dongguan manufacturing center, and the production line expanded to 14, including: 1 LCD screen cutting line, 1 patch line, 1 Bonding line, 1 backlight line, 7 SMT patch lines, 3 production assembly lines.  
SKYNEX was named the top ten most influential brands of China's security video door phone intercom.

## In 2018

The market share of Italy top first.  
Provide LCD module with driver board for the top three video door phone intercom enterprises in Italy.  
Become the Italian video door phone intercom color LCD screen, driver board, OEM/ODM whole machine export share first

## In 2019

SKYNEX was named the top 10 most influential brands of Chinese security video door phone intercom.  
The annual sales volume of indoor monitor LCD module with driver board exceeded 2 million pieces.  
SKYNEX invest in the R&D of cloud video door phone intercom technology based on WAN.

## In 2021

All SMT production lines upgraded to YAMAHA rapid patch machines to achieve fast and high-precision production.

## In 2020

The market share of South Korea and Turkey ranges first.  
SKYNEX released Android platform products, leading China's video door phone intercom cloud intercom reform.  
SKYNEX become the first and second video intercom brand ODM supplier in South Korea.  
SKYNEX become the top three video door phone intercom brand ODM supplier in Turkey.  
For the renovation project, SKYNEX launched the Android platform wifi indoor monitor, which can compatible with cloud access control products of different brands in the market.

## In 2023

SKYNEX was named the top 10 brands in China's video door phone intercom industry.  
Shenzhen International Marketing Center was established to focus on foreign markets.



## Pre-sale Services

- Airport pickup service for foreign customers.
- Arrange chartered bus direct factory service, because foreign customers are not familiar with Chinese transportation.
- Remote live broadcast, video visit the factory, watch the exhibition hall and each production line.
- Appearance mold design, customize private mold.
- Color design and customization.
- Multi-language customization.
- Software protocol docking.
- Hardware development, custom LCD screen, different sizes and resolutions.
- Customize LCD module driver board.
- Customize camera module for video doorbell.
- Customize UI interface .
- LOGO Customization.
- Smart home protocol docking.
- Elevator control system protocol docking.
- Customize power supply, external power supply and internal power supply.
- Plug customization: European regulation, American regulation, British regulation and other power connector customization.
- Video door phone intercom system optimal scheme design.



## In-sale Services

- Product user manual customization.
- Product model label customization.
- Product packaging box customization.
- Set the room number of outdoor station and indoor monitor well before leaving the factory.
- Set IP network configuration table well before delivery. After the customer receives the goods, just connecting POE switch to test and use.
- According to the customer's local country requirements, cooperate with them to get the product testing certificate.
- Support customers other suppliers goods sent to our company for storage, together with our products packaged and delivered to the customer's designated address.
- According to the customer's designated transport mode; customer's forwarder to delivery; or help customers introduce stable and reliable freight forwarder.
- Help customer identify other suppliers in China.
- Take video for customer confirmation all the goods after production well before delivery.



## After-sale Services

- Warranty Time: all company products provides one-year warranty service.
- Remote technical support: we support remote video guidance and installation services, as well as send related electronic files.
- Remote room number table setting, IP address import configuration, and send related training files, or video guidance files.
- We can provide customized service for maintenance parts.
- For the long-term cooperation of large agent customers, we can support our factory technology cross-border door-to-door training services.
- VIP customers can enjoy the application for maintenance spare machine and maintenance spare parts complimentary service.
- Within 7 days after receiving the goods, if there are product quality problems, price errors, out of stock, logistics and transportation damage, etc., you can apply for return or exchange after taking photos and videos to us for confirmation.



## LCM Production Process

### LCD Cutting Line


LCM workshop covers an area of 2000m<sup>2</sup> / 4 assembly lines for backlight assembly / 2 standard production lines / Achievable capacity 15-25K/day




### FOG Bonding Line



### Backlight Line







SMT Production Process

SMT Workshop covers an area of 1000 m<sup>2</sup>  
Three sets of Timely High-Speed Automatic Screen Printers ( CP743 ) / Two sets of QP Multifunction Automatic Unloaders / Two sets of Reflow Soldering Machines / Two sets of AIO Testing Equipment / Two backend production plugin lines




Indoor Monitor Assembly Flow Chart

Pre-Processing  
Assembly workshop covers an area of 2000 m<sup>2</sup> / while the warehouse occupies around 2500 m<sup>2</sup>




Assembly Line



Outdoor Station Assembly Flow Chart

Pre-Processing  
Assembly workshop covers an area of about 2000 m<sup>2</sup> / while the warehouse occupies around 2500 m<sup>2</sup>



Assembly Line



Test Equipment



Factory Warehouse





# Contents

01

## IP Villa Kit (CAT6)

Complete Kit  
Diagram

02

## 2 Wire IP Kit

Complete Kit  
Diagram

03

## 4 Wire Kit

Complete Kit  
Diagram

04

## IP Apartment

Outdoor Station  
Indoor Monitor  
Diagram

05

## Analog Apartment

Outdoor Station  
Indoor Monitor  
Diagram

06

## Audio Analog Intercom

Audio Outdoor Station  
Audio Handset  
Door Station Power Supply  
Decoder/Switch  
Outdoor Station Router

07

## IP+Analog Mixed Apartment

Diagram

08

## Middle Devices / Accessories

POE  
Power  
Lock  
RFID Card  
Exit Button





# 01

## IP Villa Kit (CAT6)

- ▶ Complete Kit
- ▶ Diagram





# IP 7 inch




IP-P4



IP-M72T-TUYA



IP-M72T-TUYA



IP Villa Kit (CAT6)

## Function


1. IP 7" color capacitive full touch screen Tuya / Smart life app indoor monitor
2. View wide angle 110°, night vision, IP65waterproof outdoor station
3. Video call, talk, intercom , room to room call , unlock
4. Connect with electric lock , keys to unlock , Mobile Tuya remote control visual ,unlock.
5. Support connect CCTV Camera by Onvif protocol
6. Monitoring & Snapshot photo when visitor call
7. Support 8 photos, 8 leave messages, 10 call records. Not support SD memory card
8. Support multi call panels, multi indoor monitors up to 99 pcs when add POE
9. Open 1 door

## Specification

- TCP/IP protocol
- Network cable CAT5 / CAT6 connection
- Wall mounted
- Indoor Monitor
- 7 inch LCD 1024\*600 pixels
- Power Adapter or POE
- DC 12-24V Power
- ABS Plastic + PET
- Support WIFI 2.4G
- Operating Temperature: -30 °C ~ +60 °C
- Dimensions: 190\*122\*17mm
- Color: White / black optional
- Language: English / Turkish / Spanish / French Customize
- Outdoor Station
- HD 1080P , 2MP Camera
- DC 12-24V power from indoor monitor
- Aluminum alloy +Acrylic panel Material
- Operating Temperature: -40 °C ~ +70 °C
- Color: white +silver
- Dimensions: 122\*48\*20mm



IP 7 inch




IP-M75T-TUYA



IP-M75T-TUYA



IP-P4



IP Villa Kit (CAT6)

### Function


1. IP 7" color capacitive full touch screen Tuya / Smart life app indoor monitor
2. View wide angle 110°, night vision, IP65waterproof outdoor station
3. Video call, talk, intercom , room to room call , unlock
4. Connect with electric lock , keys to unlock , Mobile Tuya remote control visual ,unlock.
5. Support connect CCTV Camera by Onvif protocol
6. Monitoring & Snapshot photo when visitor call
7. Photo and video records, Support max 128G SD memory card
8. Support 2 call panels, 4 indoor monitors direct series or add POE
9. Open 2 door

### Specification

- TCP/IP protocol
- Network cable CAT5 / CAT6 connection
- Wall mounted
- Indoor Monitor
- 7 inch LCD 1024\*600 pixels
- Internal power or POE
- DC 12-24V Power
- ABS Plastic + PET
- Support WIFI 2.4G
- Operating Temperature: -30 °C ~ +60 °C
- Dimensions: 230\*145\*26mm
- Color: White+silver / black+grey optional
- Language: English/ Spanish / Russian/ Turkish / German / French/ Netherlands / Customize
- Outdoor Station
- HD 1080P , 2MP Camera
- DC 12-24V power from indoor monitor
- Aluminum alloy +Acrylic panel Material
- Operating Temperature: -40 °C ~ +70 °C
- Color: white +silver
- Dimensions: 122\*48\*20mm



IP 10 inch



IP-P4

IP-M92T-TUYA

WiFi Tuya/  
Smart Life

Touch Screen

Monitoring

110° Wide Angle

Snapshot

Night Vision

1080P  
HD Camera  
2MP

Support Max 128G  
Memory Card

Multi Language

Call Monitor

Dual-way  
Call/Talk

Open 2 Locks

IP 65  
Waterproof

One Button  
to Call

IP Villa Kit (CAT6)

Function

- 1. IP 10.1" color capacitive full touch screen Tuya / Smart life app indoor monitor
- 2. View wide angle 110°, night vision, IP65waterproof outdoor station
- 3. Video call, talk, intercom , room to room call , unlock
- 4.Connect with electric lock , keys to unlock , Mobile Tuya remote control visual ,unlock.
- 5.Support connect CCTV Camera by Onvif protocol
- 6. Monitoring & Snapshot photo when vistor call
- 7. Photo and video records, Support max 128G SD memory card
- 8. Support multi call panels, multi indoor monitors up 99 pcs when add POE
- 9. Open 2 door

Specification

- TCP/IP protocol
- Network cable CAT5 / CAT6 connection
- Wall mounted
- Indoor Monitor
  - 7 inch LCD 1024\*600 pixel
  - Power Adapter or POE
  - DC 12-24V Power
  - ABS Plastic + PET
  - Support WIFI 2.4G
  - Operating Temperature: -30℃ ~ +60℃
  - Dimensions: 272\*180\*22 mm
  - Color: black+ dark grey
  - Language: English / Turkish / Spanish / French /Customize
- Outdoor Station
  - HD 1080P , 2MP Camera
  - DC 12-24V power from indoor monitor
  - Aluminum alloy +Acrylic panel Material
  - Operating Temperature:-40℃ ~ +70℃
  - Color: white +silver
  - Dimensions: 122\*48\*20mm



IP 7 inch




IP-P901



IP-M72T-TUYA



IP-M72T-TUYA



## IP Villa Kit (CAT6)

### Function

1. IP 7" color capacitive full touch screen Tuya / Smart life app indoor monitor
2. View wide angle 110°, night vision, IP54waterproof outdoor station
3. Video call, talk, intercom , room to room call , unlock
4. Connect with electric lock , keys to unlock , Mobile Tuya remote control visual ,unlock.
5. Support connect CCTV Camera by Onvif protocol
6. Monitoring & Snapshot photo when vistor call
7. Records: Support 8 photos, 8 leave messges, 10 call records. Not support SD memory card
8. Support multi call panels, multi indoor monitors up 99 pcs when add POE
9. Open 1 door
10. Write owners name on PVC board
11. Scan IC ID NFC card open door (5 blue card for free in kit)

### Specification


- TCP/IP protocol
- Network cable CAT5 / CAT6 connection
- Wall mounted
- Indoor Monitor
- 7 inch LCD 1024\*600 pixels
- Power Adapter or POE
- DC 12-24V Power
- ABS Plastic + PET
- Support WIFI 2.4G
- Operating Temperature: -30 °C ~ +60 °C
- Dimensions: 190\*122\*17mm
- Color: White / black optional
- Language: English / Turkish / Spanish / French Customize
- Outdoor Station
- HD 1080P , 2MP Camera
- DC 12-24V power from indoor monitor
- Aluminum alloy +Acrylic panel Material
- Operating Temperature: -40 °C ~ +70 °C
- Color: silver
- Dimensions: 165\*90\*28mm




IP 7 inch




IP-P901



IP-M75T-TUYA



IP-M75T-TUYA



## IP Villa Kit (CAT6)

### Function

1. IP 7" color capacitive full touch screen Tuya / Smart life app indoor monitor
2. View wide angle 110°, night vision, IP54waterproof outdoor station
3. Video call, talk, intercom , room to room call , unlock
4. Connect with electric lock , keys to unlock , Mobile Tuya remote control visual ,unlock.
5. Support connect CCTV Camera by Onvif protocol
6. Monitoring & Snapshot photo when visitor call
7. Photo and video records ,Support max 128G SD memory card
8. Support 2 call panels, 4 indoor monitors direct series or add POE
9. Open 2 door
10. Write owners name on PVC board
11. Scan IC ID NFC card open door (5 blue card for free in kit)

### Specification

- TCP/IP protocol
- Network cable CAT5 / CAT6 connection
- Wall mounted
- Indoor Monitor
  - 7 inch LCD 1024\*600 pixels
  - Internal power or POE
  - DC 12-24V Power
  - ABS Plastic + PET
  - Support WIFI 2.4G
  - Operating Temperature: -30 °C ~ +60 °C
  - Dimensions: 230\*145\*26mm
  - Color: White+silver / black+grey optional
  - Language: English/ Spanish / Russian/ Turkish / German / French/ Netherlands / Customize
- Outdoor Station
  - HD 1080P , 2MP Camera
  - DC 12-24V power from indoor monitor
  - Aluminum alloy +Acrylic panel Material
  - Operating Temperature:-40 °C ~ +70 °C
  - Color: silver
  - Dimensions: 165\*90\*28mm



IP 10 inch



IP-P901



IP-M92T-TUYA





WiFi Tuya/  
Smart Life



Touch Screen



Monitoring



110° Wide Angle



Snapshot



Night Vision



1080P  
HD Camera  
2MP



Support Max 128G  
Memory Card



Multi Language



Call Monitor



Dual-way  
Call/Talk



Open 2 Locks



IP Waterproof



One Button  
to Call

IP Villa Kit (CAT6)

Function

- 1. IP 10.1" color capacitive full touch screen Tuya / Smart life app indoor monitor
- 2. View wide angle 110°, night vision, IP54waterproof outdoor station
- 3. Video call, talk, intercom , room to room call , unlock
- 4.Connect with electric lock , keys to unlock , Mobile Tuya remote control visual ,unlock.
- 5.Support connect CCTV Camera by Onvif protocol
- 6. Monitoring & Snapshot photo when vistor call
- 7. Photo and video records, Support max 128G SD memory card
- 8. Support multi call panels, multi indoor monitors up 99 pcs when add POE
- 9. Open 2 door
- 10.Write owners name on PVC board
- 11. Scan IC ID NFC card open door (5 blue card for free in kit)

Specification

- TCP/IP protocol
- Network cable CAT5 / CAT6 connection
- Wall mounted
- Indoor Monitor
- 7 inch LCD 1024\*600 pixel
- Power Adapter or POE
- DC 12-24V Power
- ABS Plastic + PET
- Support WIFI 2.4G
- Operating Temperature: -30℃ ~ +60℃
- Dimensions: 272\*180\*22 mm
- Color: black+ dark grey
- Language: English / Turkish / Spanish / French Customize
- Outdoor Station
- HD 1080P , 2MP Camera
- DC 12-24V power from indoor monitor
- Aluminum alloy +Acrylic panel Material
- Operating Temperature:-40℃ ~ +70℃
- Color: silver
- Dimensions: 165\*90\*28mm



# IP



**IP-P4**



## IP Outdoor Station

### Function

1. One button to call, video call , talk , intercom.
2. HD IP camera 1080P 2MP, 110° wide view angle
3. Night vision, triangular cone lens. 1/4 CMOS camera sensor
4. IP 65 waterproof, Rain cover, weather protection.
5. Support to connect up to 1-99 pcs indoor monitors.
6. Scan RFID card open door
7. Write owners name on PVC board

### Specification

- Aluminum alloy +Acrylic panel Material
- TCP/IP protocol
- CAT5/ CAT 6 Connection
- RJ45 interface
- Charge: non-standard POE switch / power from indoor monitor
- Working temperature: -40℃ ~ +70℃
- Installation: wall mounted
- Dimensions: 165\*90\*28mm



# IP



**IP-P901**



## IP Outdoor Station

### Function

1. One button to call, video call , talk , intercom.
2. HD IP camera 1080P 2MP, 110° wide view angle
3. Night vision, triangular cone lens. 1/4 CMOS camera sensor
4. IP 65 waterproof, Rain cover, weather protection.
5. Support to connect up to 1-99 pcs indoor monitors.
6. Scan RFID card open door
7. Write owners name on PVC board

### Specification

- Aluminum alloy +Acrylic panel Material
- TCP/IP protocol
- CAT5/ CAT 6 Connection
- RJ45 interface
- Charge: non-standard POE switch / power from indoor monitor
- Working temperature: -40℃ ~ +70℃
- Installation: wall mounted
- Dimensions: 165\*90\*28mm



# IP



**IP-P902**



## IP Outdoor Station

### Function


1. One button to call, video call , talk , intercom.
2. HD IP camera 1080P 2MP, 110° wide view angle
3. Night vision, triangular cone lens. 1/4 CMOS camera sensor
4. IP 65 waterproof, Rain cover, weather protection.
5. Support up to 4 pcs indoor monitors and 2 call panels by adding a POE switch.
6. Scan RFID card open door
7. Write owners name on PVC board
8. 2 button for 2 apartments
9. Only can connect with M75T monitor

### Specification

- Aluminum alloy +Acrylic panel Material
- TCP/IP protocol
- CAT5/ CAT 6 Connection
- RJ45 interface
- Charge: non-standard POE switch / power from indoor monitor
- Working temperature: -40℃ ~ +70℃
- Installation: wall mounted
- Dimensions: 165\*90\*28mm



# IP



**IP-P904**



## IP Outdoor Station

### Function

1. One button to call, video call , talk , intercom.
2. HD IP camera 1080P 2MP, 110° wide view angle
3. Night vision, triangular cone lens. 1/4 CMOS camera sensor
4. IP 65 waterproof, Rain cover, weather protection.
5. Support up to 4 pcs indoor monitors and 2 call panels by adding a POE switch.
6. Scan RFID card open door
7. Write owners name on PVC board
8. 4 button for 4 apartments
9. Only can connect with M75T monitor

### Specification

- Aluminum alloy +Acrylic panel Material
- TCP/IP protocol
- CAT5/ CAT 6 Connection
- RJ45 interface
- Charge: non-standard POE switch / power from indoor monitor
- Working temperature: -40℃ ~ +70℃
- Installation: wall mounted
- Dimensions: 165\*90\*28mm




### IP Villa System Diagram




### IP Villa System Diagram



### IP 4 Buttons System Diagram





### IP 2 Buttons System Diagram



# 02

## 2 Wire IP Kit

- ▶ Complete Kit
- ▶ Diagram






# 2 Wire 7 inch




IP-P4-2W



IP-M75T-TUYA



IP-M75T-2W



## 2 Wire Villa Kit

### Function

1. IP 7" color capacitive full touch screen Tuya / Smart life app indoor monitor
2. View wide angle 110°, night vision, IP65waterproof outdoor station
3. Video call, talk, intercom , room to room call , unlock
- 4.Connect with electric lock , keys to unlock , Mobile Tuya remote control visual ,unlock.
- 5.Support connect CCTV Camera by Onvif protocal
6. Monitoring & Snapshot photo when vistor call
7. Photo and video records, Support max 128G SD memory card
8. Support 2 call panels, 4 indoor monitors direct series or add POE
9. Open 2 door


### Specification

- TCP/IP protocol
- 2 wires connection
- Wall mounted
- Indoor Monitor
- 7 inch LCD 1024\*600 piexl
- Power Adapter or POE
- DC 12-24V Power
- ABS Plastic + PET
- Support WIFI 2.4G
- Operating Temperature: -30 ℃ ~ +60 ℃
- Dimensions:230\*145\*26mm
- Color: White+silver / black+grey optional
- Language: English/ Spanish / Russian/ Turkish / German / French/ Nederlands / Customize
- Outdoor Station
- HD 1080P , 2MP Camera
- DC 12-24V power from indoor monitor
- Aluminum alloy +Acrylic panel Material
- Operating Temperature:-40 ℃ ~ +70 ℃
- Color: white +silver
- Dimensions: 122\*48\*20mm


# 2 Wire 7 inch




IP-P901-2W



IP-M75T-TUYA



IP-M75T-2W



## 2 Wire Villa Kit

### Function

1. IP 7" color capacitive full touch screen Tuya / Smart life app indoor monitor
2. View wide angle 110°, night vision, IP54waterproof outdoor station
3. Video call, talk, intercom , room to room call , unlock
- 4.Connect with electric lock , keys to unlock , Mobile Tuya remote control visual ,unlock.
- 5.Support connect CCTV Camera by Onvif protocol
6. Monitoring & Snapshot photo when vistor call
7. Photo and video records ,Support max 128G SD memory card
8. Support 2 call panels, 4 indoor monitors direct series or add POE
9. Open 2 door
- 10.Write owners name on PVC board
11. Scan IC ID NFC card open door (5 blue card for free in kit)

### Specification


- TCP/IP protocol
- 2 wires connection
- Wall mounted
- Indoor Monitor
- 7 inch LCD 1024\*600 pixel
- Power Adapter or POE
- DC 12-24V Power
- ABS Plastic + PET
- Support WIFI 2.4G
- Operating Temperature: -30℃ ~ +60℃
- Dimensions:230\*145\*26mm
- Color: White+silver / black+grey optional
- Language: English/ Spanish / Russian/ Turkish / German / French/ Netherlands / Customize
- Outdoor Station
- HD 1080P , 2MP Camera
- DC 12-24V power from indoor monitor
- Aluminum alloy +Acrylic panel Material
- Operating Temperature:-40℃ ~ +70℃
- Color: silver
- Dimensions: 165\*90\*28mm




## 2 Wire Villa System Diagram



## 2 Wire Villa System Diagram(Max 2 call 4)



## 2 Wire Villa System Diagram(Max 2 call 4)



# 03

## 4 Wire Kit

- ▶ Complete Kit
- ▶ Diagram





# 4 Wire 7 inch



IP-P5-4W



IP-M72T-4W



IP-M72T-4W



## 4 Wire Villa Kit

### Function

1. Indoor monitor: 7 Inch full touch screen, external power adapter for free in complete kit.
2. Outdoor station: wide angle 100° , IP 65 waterproof ,weather protection.
3. White light LED compensation: high-definition night vision ,better color effect, video call, talk, 2-way intercom, lock connection.
4. Power supply: indoor Monitor power from adapter and outdoor station can get power from indoor monitor adapter directly after connection.
5. Unlock: one button to call , the indoor monitor will show image of the visitor. Touch the button to answer, start talking, hung up or unlock to open the door.
6. Maximum: 2 outdoor units with 4 indoor monitors connect directly no need POE.
7. 2 Locks connection can open 2 door : 1 lock is connected to the indoor monitor to give the unlocking signal, and the other lock is connected to the outdoor to give the unlocking signal.
8. the outdoor station have interface to connect electronic lock and magnetic lock ( magnetic lock with 5 seconds delay ) ; if connected to the electronic lock, the distance within 20 meters between outdoor station and indoor monitor , the outdoor station and electronic lock both can be powered directly from indoor monitor adapter (save the cost of lock power). If connect to magnetic lock need the independent power supply to magnetic lock.

### Specification

●Connection:4-wire RVV Cable

●Installation : Wall mounted

●Net weight: 1.3 kg

► Indoor Monitor LNX-M72T

●Display: 7 inch LCD 800\*480 pixel

●Power: DC 18V 1A (powered by adapter)

●Material: High Quality ABS + Acrylic Panel+

Full Touch Screen

●Operating Temperature:-20℃~55℃

●Color: White/Black

●Outline Dimensions: 190(L)x18(W)x122(H)mm

► Outdoor Station LNX-P5

●Camera: HD 1000TVL

●Viewing Angle: 100°

●Night Vision: White light, 6PCS White LEDs

●Accessory: Rain Cover

●Waterproof: IP 65

●Power: DC18V 1A (powered by indoor unit)

●Material: High Quality ABS + Acrylic Panel +

Press Button

●Operating Temperature:-30℃~70℃


●Color: Silvery+Black

●Outline Dimensions: 62(L)\*38(W)\*132(H)mm

## 4 Wire Villa System Diagram



## 4 Wire Villa System Diagram(Max 2 call 4)





# 04

## IP Apartment

Outdoor Station

Indoor Monitor

Diagram



Mansy | mohamed.mansy@gmail.com

IP 8 Button



IP-D22-08

Scan RFID Card

Metal Material

2.0 MP

One button to call

130° Wide Angle

Show Name on Board

Night Vision

IP 54 Waterproof

IP Outdoor Station

Function


1. Aluminum alloy shell, physical buttons, metal material, embedded box.
2. HD camera light compensation with night vision function
3. Two-way call, talk, intercom, unlocking
4. One key to call administrator.
5. Push button to call tenant directly. Maximum connection 1-8 households.  
Push button with room number label.
6. Multiple unlocking methods: ID/ IC card; NFC card; indoor monitor; management center guard station, management PC application to open the door.
7. IP54 waterproof rating, all-weather protection.
8. Can be connected with electric lock, magnetic lock, cathode lock, etc.

Specification

- Resolution: 1080P 2 megapixels, 1 camera
- 130° wide viewing angle
- Supports connection of 8 families
- Material: Aluminum housing Aluminum housing + metal physical buttons
- Network transmission mode: TCP/IP protocol
- Connection: CAT5/ CAT 6
- Ethernet Interface: RJ45
- Charging: Power supply
- IC card capacity: ≥20000
- Working current: ≤500mA
- Operating Voltage: DC 12-15V
- Operating Temperature: -40℃ ~ +70
- Overall Dimension: 268\*140\*50 mm
- Installation size: 258\*130\*50mm



IP 16 Button



IP-D22-16

Scan RFID Card

Metal Material

HD  
2.0 MP

One button to call

130° Wide Angle

Show Name  
on Board

Night Vision

IP 54 Waterproof

IP Outdoor Station

Function

1. Aluminum alloy shell, physical buttons, metal material, embedded box.
2. HD camera light compensation with night vision function
3. Two-way call, talk, intercom, unlocking
4. One key to call administrator.
5. Push button to call tenant directly. Maximum connection 1-16 households.  
Push button with room number label.
6. Multiple unlocking methods: ID/ IC card; NFC card; indoor monitor; management center guard station, management PC application to open the door.
7. IP54 waterproof rating, all-weather protection.
8. Can be connected with electric lock, magnetic lock, cathode lock, etc.

Specification

- Resolution: 1080P 2 megapixels, 1 camera
- 130° wide viewing angle
- Supports connection of 16 families
- Material: Aluminum housing Aluminum housing + metal physical buttons
- Network transmission mode: TCP/IP protocol
- Connection: CAT5/ CAT 6
- Ethernet Interface: RJ45
- Charging: Power supply
- IC card capacity: ≥20000
- Working current: ≤500mA
- Operating Voltage: DC 12-15V
- Operating Temperature: -40℃ ~ +70
- Outline Dimensions: 360\*140\*50mm
- Installation Dimensions: 350\*130\*50mm

IP



IP-D33S



Scan RFID Card



Password Unlock



2.0 MP



Room No. to Call



130° Wide Angle



Monitoring



Night Vision



IP 54 Waterproof

## IP Outdoor Station

### Function

1. LED Segment display , Aluminum alloy shell ,physical press button, metal material , Embedded box.
2. HD camera light compensation with night vision
3. Dual way call , talk , intercom , unlock
4. Enter 1/ 2 /3 or 4digit room number to call. for example 1, 11 , 111 ,1111.
5. Various unlock ways: ID/ IC card; NFC card; public & private passcode ; indoor monitor; management center guard station, management PC application to open the door.
6. IP54 water proof, weather protection.
7. Can connect with electric/ magnetic/ cathode lock ,etc.
8. Call lift function can be realized via lift control linkage module .

### Specification


- Resolution: 1080P 2 MP , 1 Camera
- Display: LED Segment Display
- 130° wide view angle
- support connect 9999 households
- Material: Aluminum alloy shell + Metal  
physical press button
- Network Transmission Mode: TCP/IP protocol
- Connection: CAT5/ CAT 6
- Ethernet interface:RJ45
- Charge: non-standard POE switch / Power
- IC Card Capacity: ≥20000
- Operation Current: ≤500mA
- Operation Voltage: DC 12-15V
- Operation Temperature: -40℃ ~ +70℃
- Outline Dimensions: 323\*130\*40mm
- Installation Dimensions: 298\*113\*33mm
- Installation: Wall-mounted or Embedded



IP 4.3 inch



IP-D17



IP Outdoor Station

Function

- 1. 4.3 inch display, Aluminum alloy shell ,touch button, metal material , Embedded box.
- 2. HD camera light compensation with night vision
- 3.Dual way call , talk , intercom , unlock
- 4.Enter 1/ 2 /3 or 4digit room number to call. for example 1, 11 , 111 ,1111.
- 5.Various unlock ways: ID/ IC card; NFC card; public & private passcode ; indoor monitor; management center guard staion, management PC application to open the door.
- 6. IP54 water proof, weather protection.
- 7.Can connect with electric/ magnetic/ cathode lock ,etc.
- 8.Call lift function can be realized via lift control linkage module .
- 9.Support picture , video advertisement broadcast function on screen.

Specification

- Resolution: 1080P 2 MP , 1 camera
- Display: 4.3 TFT LCD
- 130° wide view angle
- support connect 9999 households
- Resolution: 480\*272
- Material: Aluminum alloy shell + touch button
- Network Transmission Mode: TCP/IP protocol
- Connection: CAT5/ CAT 6
- Ethernet interface:RJ45
- Charge: non-standard POE switch / Power
- IC Card Capacity: ≥20000
- Operation Current: ≤500mA
- Operation Voltage: DC 12-15V
- Operation Temperature: -40℃~ +70℃
- Outline Dimensions: 360\*140\*50mm
- Installation Dimensions: 350\*130\*50mm
- Installation: Wall-mounted or Embedded

IP 4.3 inch



IP-D21A

Face Recognition

Scan RFID Card

Password Unlock

HD  
2.0 MP

Room NO. to Call

Monitoring

Night Vision

IP 54 Waterproof

IP Outdoor Station

Function

1. 4.3 inch display, Aluminum alloy shell ,touch button, metal material , Embedded box.
2. HD camera light compensation with night vision
- 3.Dual way call , talk , intercom , unlock
- 4.Enter 1/ 2 /3 or 4digit room number to call. for example 1, 11 , 111 ,1111.
- 5.Various unlock ways: ID/ IC card; NFC card; public & private passcode ; indoor monitor; management center guard staion, management PC application to open the door.
6. IP54 water proof, weather protection.
- 7.Can connect with electric/ magnectic/ cathode lock ,etc.
- 8.Call lift function can be realized via lift control linkage module .
- 9.Support picture , video advertisement broadcast function on screen.
10. Two camera with face recognition: live detection, 20000 face local storage, management center backup, recognition time less than 0.5 s.

Specification

- Resolution: 1080P , 2 MP 2 cemara
- Display: 4.3 TFT LCD
- 130° wide view angle
- support connect 9999 households
- Resolution: 480\*272
- Material: Aluminum alloy shell + touch button
- Network Transmission Mode: TCP/IP protocal
- Connection: CAT5/ CAT 6
- Ethernet interface:RJ45
- Charge: non-standard POE switch / Power
- IC Card Capacity: ≥20000
- Face ID Capacity: ≤20000
- Operation Current: ≤1A
- Operation Voltage: DC12-15V
- Operation Temperature: -40℃~ +70℃
- Outline Dimensions: 360\*140\*50mm
- Installation Dimensions: 350\*130\*50mm
- Installation: Wall-mounted or Embedded



IP 4.3 inch



IP-D22



Scan RFID Card



Password Unlock



2.0 MP



Room No. to Call



130° Wide Angle



Monitoring



Night Vision



IP 54 Waterproof

IP Outdoor Station


Function

- 1. 4.3 inch display, Aluminum alloy shell ,physical press button, metal material , Embedded box.
- 2. HD camera light compensation with night vision
- 3.Dual way call , talk , intercom , unlock
- 4.Enter 1/ 2 /3 or 4digit room number to call. for example 1, 11 , 111 ,1111.
- 5.Various unlock ways: ID/ IC card; NFC card; public & private passcode ; indoor monitor; management center guard staion, management PC application to open the door.
- 6. IP54 water proof, weather protection.
- 7.Can connect with electric/ magnetic/ cathode lock ,etc.
- 8.Call lift function can be realized via lift control linkage module.
- 9.Support picture , video advertisement broadcast function on screen.

Specification

- Resolution: 1080P , 2 MP , 1 camera
- Display: 4.3 TFT LCD
- 130° wide view angle
- support connect 9999 households
- Resolution: 480\*272
- Material: Aluminum alloy shell + Metal physical press button
- Network Transmission Mode: TCP/IP protocol
- Connection: CAT5/ CAT 6
- Ethernet interface:RJ45
- Charge: non-standard POE switch / Power
- IC Card Capacity: ≥20000
- Operation Current: ≤1A
- Operation Voltage: DC 12-15V
- Operation Temperature: -40 ℃ ~ +70 ℃
- Outline Dimensions: 360\*140\*50mm
- Installation Dimensions: 350\*130\*50mm
- Installation: Wall-mounted or Embedded

IP 4.3 inch



IP-D22A

Face Recognition

Scan RFID Card

Password Unlock

HD  
2.0 MP

Room No. to Call

Monitoring

Night Vision

IP 54 Waterproof

IP Outdoor Station

Function


- 1. 4.3 inch display, Aluminum alloy shell ,physical press button, metal material , Embedded box.
- 2. HD camera light compensation with night vision
- 3.Dual way call , talk , intercom , unlock
- 4.Enter 1/ 2 /3 or 4digit room number to call. for example 1, 11 , 111 ,1111.
- 5.Various unlock ways: ID/ IC card; NFC card; public & private passcode ; indoor monitor; management center guard staion, management PC application to open the door.
- 6. IP54 water proof, weather protection.
- 7.Can connect with electric/ magnetic/ cathode lock ,etc.
- 8.Call lift function can be realized via lift control linkage module .
- 9.Support picture , video advertisement broadcast function on screen.
- 10. Two camera with face recognition: live detection, 20000 face local storage, management center backup, recognition time less than 0.5 s.

Specification


- Resolution: 1080P , 2 MP 2 cemara
- Display: 4.3 TFT LCD
- 130° wide view angle
- support connect 9999 households
- Resolution: 480\*272
- Material: Aluminum alloy shell + touch button
- Network Transmission Mode: TCP/IP protocal
- Connection: CAT5/ CAT 6
- Ethernet interface:RJ45
- Charge: non-standard POE switch / Power
- IC Card Capacity: ≥20000
- Face ID Capacity: ≤20000
- Operation Current: ≤1A
- Operation Voltage: DC12-15V
- Operation Temperature: -40 ℃ ~ +70 ℃
- Outline Dimensions: 360\*140\*50mm
- Installation Dimensions: 350\*130\*50mm
- Installation: Wall-mounted or Embedded



IP 5 inch



IP-D50A



Face Recognition



Scan RFID Card




Password Unlock




HD  
2.0 MP



Room No. to Call



Monitoring



Night Vision



IP 54 Waterproof

IP Outdoor Station


Function

- 1. 5 inch display, Aluminum alloy shell ,touch screen,, metal material , Embedded box.
- 2. HD camera light compensation with night vision
- 3.Dual way call , talk , intercom , unlock
- 4.Enter 1/ 2 /3 or 4digit room number to call. for example 1, 11 , 111 ,1111.
- 5.Various unlock ways: ID/ IC card; NFC card; public & private passcode ; indoor monitor; management center guard staion, management PC application to open the door.
- 6. IP54 water proof, weather protection.
- 7.Can connect with electric/ magnectic/ cathode lock ,etc.
- 8.Call lift function can be realized via lift control linkage module .
- 9.Support picture , video advertisement broadcast function on screen.
- 10. Two camera with face recognition: live detection, 20000 face local storage, management center backup, recognition time less than 0.5 s.

Specification

- Camera: 1/3 CMOS HD 2 camera
- Resolution: 1080P 2 MP
- 130° wide view angle
- support connect 9999 households
- Display: 5 inch TFT LCD IPS
- Resolution: 1280\*800
- Material: Aluminum alloy shell + touch button
- Network Transmission Mode: TCP/IP protocal
- Charge: non-standard POE switch / Power
- Ethernet interface:RJ45
- Connection: CAT5/ CAT 6
- IC Card Capacity: ≥20000
- Face ID Capacity: ≤20000
- Operation Current: <700mA/12VDC
- Operation Voltage: DC 12-15V
- Operation Temperature: -40℃ ~ +70℃
- Outline Dimensions: 225\*125\*48mm
- Installation Dimensions: 215X115x40mm
- Installation: Wall-mounted or Embedded

IP 8 inch



IP-D30A

Face Recognition

Scan RFID Card

Password Unlock

HD  
2.0 MP

Room No. to Call

Monitoring

Night Vision

IP 54 Waterproof

IP Outdoor Station

Function

- 1. 8 inch display, Aluminum alloy shell ,touch screen,, metal material , Embedded box.
- 2. HD camera light compensation with night vision
- 3.Dual way call , talk , intercom , unlock
- 4.Enter 1/ 2 /3 or 4digit room number to call. for example 1, 11 , 111 ,1111.
- 5.Various unlock ways: ID/ IC card; NFC card; public & private passcode ; indoor monitor; management center guard staion, management PC application to open the door.
- 6. IP54 water proof, weather protection.
- 7.Can connect with electric/ magnectic/ cathode lock ,etc.
- 8.Call lift function can be realized via lift control linkage module .
- 9.Support picture , video advertisement broadcast function on screen.
- 10. Two camera with face recognition: live detection, 20000 face local storage, management center backup, recognition time less than 0.5 s.

Specification


- Resolution: 1/3 CMOS 2 MP 2 HD camera
- Display:8 inch TFT LCD IPS
- 130° wide view angle
- support connect 9999 households
- Resolution: 1280\*800
- Color: Black
- Material: Aluminum alloy shell + touch button
- Network Transmission Mode: TCP/IP protocal
- Charge: non-standard POE switch / Power
- Ethernet interface:RJ45
- Connection: CAT5/ CAT 6
- IC Card Capacity: ≥20000
- Face ID Capacity: ≤20000
- Operation Current: <700mA/12VDC
- Operation Voltage: DC 12-15V
- Operation Temperature: -40℃~ +70℃
- Outline Dimensions: 330\*230\*48mm
- Installation Dimensions: 286\*135\*40mm
- Installation: Wall-mounted or Embedded



IP 10 inch



IP-D10A



## IP Outdoor Station

### Function

1. 10.1 inch display, Aluminum alloy shell ,touch screen,, metal material , Embedded box.
2. HD camera light compensation with night vision
3. Dual way call , talk , intercom , unlock
4. Enter 1/ 2 /3 or 4digit room number to call. for example 1, 11 , 111 ,1111.
5. Various unlock ways: ID/ IC card; NFC card; public & private passcode ; indoor monitor; management center guard station, management PC application to open the door.
6. IP54 water proof, weather protection.
7. Can connect with electric/ magnetic/ cathode lock ,etc.
8. Call lift function can be realized via lift control linkage module .
9. Support picture , video advertisement broadcast function on screen.
10. Two camera with face recognition: live detection, 20000 face local storage, management center backup, recognition time less than 0.5 s.

### Specification

- Camera: 1/3 CMOS 2 MP 2 HD camera
- Resolution: 1080P 2 MP
- 130° wide view angle
- Display: 10.1 inch TFT LCD IPS
- Resolution: 1280\*800
- Material: Aluminum alloy shell + touch button
- Network Transmission Mode: TCP/IP protocol
- Charge: non-standard POE switch / Power
- Connection: CAT5/ CAT 6
- Ethernet interface: RJ45
- IC Card Capacity: ≥20000
- Face ID Capacity: ≤20000
- Operation Current: <900mA/12VDC
- Operation Voltage: DC 12-15V
- Operation Temperature: -40℃ ~ +70℃
- Outline Dimensions: 358\*190\*48mm
- Installation Dimensions: 345\*165\*40mm
- Installation: Wall-mounted or Embedded

IP 4.3 inch



IP-M16



IP-M16

Touch Button

Monitoring

1080P  
HD Camera  
2MP

Snapshot

Multi Language

Call Monitor

Dual-way  
Call/Talk

Security Alarm

IP Indoor Monitor

Function


1. IP 7" color capacitive full touch screen indoor monitor
2. Video call, talk, intercom , unlock , room to room call , flat to flat call,call management center.
- 3.Support connect CCTV Camera by Onvif protocol
4. Monitoring IP villa , apartment outdoor , IP camera
5. Snapshot photo when vistor call, Support 8 photos, 8 leave messges, 10 call records in local storage .
- 6.Public and privite message, security, alarm, photo and call records.
- 7.Smart home function can be realized via RS 485 module
- 8.Call lift function can be realized via lift control linkage module
- 9.Scene: Go home / Leavehome/ Sleep,etc.
10. Support 8 denfence zones, can connect with wired detectors to ensure home security.
- 11.SOS one button for help to management center.
- 12.Open 1 door

Specification

- Display Screen : 4.3 inch TFT LCD
- Resolution: 480\*320 pixels
- System: Linux system
- Network Transmission Mode: TCP/IP protocol
- Connection:network cable CAT5/CAT6
- Ethernet interface:RJ45
- Color: black / white / customize
- Language: English / Turkish / Spanish / French / Customize
- Material: ABS Plastic + PET
- Charge: non-standard POE switch / Power adapter
- Operation Voltage: DC 12-24V
- Operation Current: ≤500mA
- Operation Temperature: -30 C ~+60 C
- Dimensions: 190\*126\*15mm
- Installation : Wall mounted




IP 7 inch



IP-M72T-TUYA



IP-M72T



## IP Indoor Monitor


### Function

1. IP 7" color capacitive full touch screen Tuya / smart life app indoor monitor
2. Video call, talk, intercom , unlock , room to room call , flat to flat call, call management center.
3. Support connect CCTV Camera by Onvif protocol
4. Monitoring IP villa , apartment outdoor , IP camera
5. Photo and video records, support SD memory card .
6. Public and private message, security, alarm, photo and call records.
7. Smart home function can be realized via RS 485 module
8. Call lift function can be realized via lift control linkage module
9. Scene: Go home / Leavehome/ Sleep, etc.
10. Support 8 defence zones, can connect with wired detectors to ensure home security.
11. SOS one button for help to management center.
12. Open 2 door
13. Mobile wifi Tuya / smart life app remote control, visual and unlock.

### Specification

- Display Screen : 7 inch TFT LCD
- Resolution: 1024\*600 pixels
- System: Linux system
- Network Transmission Mode: TCP/IP protocol
- Connection: network cable CAT5/CAT6
- Color: black / white / customize
- Language: Chinese/ English/ Customize
- Material: ABS Plastic + PET
- Charge: non-standard POE switch / Power adapter (DC12-24V)
- Ethernet interface: RJ45
- Operation Voltage: DC 12-24V
- Operation Current: ≤500mA
- Operation Temperature: -30 °C ~ +60 °C
- Dimensions: 190\*122\*17mm
- Installation : Wall mounted


IP 7 inch



IP-M76T-TUYA



IP-M76T



## IP Indoor Monitor

### Function


1. IP 7" color capacitive full touch screen  
Tuya / smart life app indoor monitor
2. Video call, talk, intercom , unlock , room to room call , flat to flat call,call management center.
- 3.Support connect CCTV Camera by Onvif protocol
4. Monitoring IP villa , apartment outdoor , IP camera
5. Snapshot photo when visitor call, Support 8 photos, 8 leave messages, 10 call records in local storage .
- 6.Public and private message, security, alarm, photo and call records.
- 7.Smart home function can be realized via RS 485 module
- 8.Call lift function can be realized via lift control linkage module
- 9.Scene: Go home / Leavehome/ Sleep,etc.
10. Support 8 defence zones, can connect with wired detectors to ensure home security.
- 11.SOS one button for help to management center.
- 12.Open 1 door
13. Mobile wifi Tuya /smart life app remote control, visual and unlock.

### Specification

- Display Screen : 7 inch TFT LCD
- Resolution: 1024\*600 pixels
- System: Linux system
- Network Transmission Mode: TCP/IP protocol
- Connection:network cable CAT5/CAT6
- Color: black / white / customize
- Language:Chinese/ English/ Customize
- Material: ABS Plastic + PET
- Charge: non-standard POE switch / Power adapter (DC12-24V)
- Ethernet interface:RJ45
- Operation Voltage: DC 12-24V
- Operation Current: ≤500mA
- Operation Temperature: -30℃~+60℃
- Dimensions: 190\*122\*17mm
- Installation : Wall mounted




IP 10 inch



IP-M92T-TUYA



IP-M92T



## IP Indoor Monitor


### Function

1. IP 10.1" color capacitive full touch screen Tuya / smart life app indoor monitor
2. Video call, talk, intercom , unlock , room to room call , flat to flat call, call management center.
3. Support connect CCTV Camera by Onvif protocol
4. Monitoring IP villa , apartment outdoor , IP camera
5. Photo and video records, support SD memory card .
6. Public and private message, security, alarm, photo and call records.
7. Smart home function can be realized via RS 485 module
8. Call lift function can be realized via lift control linkage module
9. Scene: Go home / Leavehome/ Sleep, etc.
10. Support 8 defence zones, can connect with wired detectors to ensure home security.
11. SOS one button for help to management center.
12. Open 2 door
13. Mobile wifi Tuya / smart life app remote control, visual and unlock.


### Specification

- Display Screen : 10.1 inch TFT LCD
- Resolution: 1024\*600 pixels
- System: Linux system
- Network Transmission Mode: TCP/IP protocol
- Connection: network cable CAT5/CAT6
- Ethernet interface: RJ45
- Color: black+ dark grey / customize
- Language: Chinese/ English/ Customize
- Material: ABS Plastic + PET
- Charge: non-standard POE switch / Power adapter
- Operation Voltage: DC 12-24V
- Operation Current: ≤700mA
- Operation Temperature: -30 °C ~ +60 °C
- Dimensions: 272\*180\*22 (mm)
- Installation : Wall mounted

## IP Apartment Intercom System Diagram



## IP Apartment Intercom System Local LAN Networking Diagram





# 05

## Analog Apartment

- ▶|Outdoor Station
- ▶|Indoor Monitor
- ▶|Diagram



Non-visual




**LNx-A01**



Answer/Hang up



Unlock



Call Guard

Analog Indoor Monitor

#### Function

- 1.Mechanical button
- 2.voice call
- 3.remote unlock
- 4.call management center
- 5.can be connected to multiple indoor monitors
- 6.can be connected to doorbell
- 7.support RJ45 interface or 4+2 socket interface.
- 8.Menu button: Call / Talk/ Unlock

#### Specification

Material: ABS plastic

Working voltage: DC 15-18V

Quiescent current: less than 20mA

Working current: less than 130mA

Working temperature: -10°C-50°C

Dimensions: 140\*99\*17 (mm)

Installation method: wall mounted






Analog 4.3inch




LNX-M16




LNX-M16




Touch Screen




Monitoring




Open 1 Locks



4.3 Inch Color Screen



Call Monitor



Dual-way Call/Talk


Analog Indoor Monitor

Function


- 1 .4.3" TFT color digital high-definition screen
- 2. Touch Icon :Monitor/ Call Guard/Menu/ Call/ Unlock
- 3. Monitoring the outdoor station environment by picture and video.
- 4.video call, two-way talk & intercom with outdoor station,management center guard station.
- 5.remote open the door with unlock button
- 6. can be connected to apartment outdoor door station
- 7. can be connected to multiple indoor monitors
- 8.supports RJ45 interface,
- 9. supports POE power supply.

Specification


Display: 4.3-inch TFT true color digital high-definition screen
Material: ABS plastic
Resolution: 480*272 pixels
Working voltage: DC 15-18V
Quiescent current: less than 40mA
Working current: less than 250mA
Working temperature: -10°C-50°C
Dimensions: 180*110*20 (mm)
Installation method: wall mounted




Analog 7 inch




# LNx-M61A




Touch Screen




Monitoring




Open 1 Locks



7 Inch Color Screen



Call Monitor



Dual-way Call/Talk

## Analog Indoor Monitor

### Function

- 1 .7" TFT color digital high-definition screen
- 2. Touch Icon :Monitor/ Call Guard/Menu/ Call/ Unlock
- 3. Monitoring the outdoor station environment by picture and video.
- 4.video call, two-way talk & intercom with outdoor station,management center guard station.
- 5.remote open the door with unlock button
- 6. can be connected to apartment outdoor door station
- 7. can be connected to multiple indoor monitors
- 8.supports RJ45 interface,
- 9. supports POE power supply.


### Specification

Display: 7-inch TFT true color digital high-definition screen
Material: ABS plastic +PET
Resolution: 800*480 pixels
Working voltage: DC 15-18V
Quiescent current: less than 60mA
Working current: less than 400mA
Working temperature: -10°C-50°C
Dimensions: 225*140*20 (mm)
Installation method: wall mounted






Analog 7 inch




LNx-M72T




LNx-M72T




Touch Screen




Monitoring




110° Wide Angle



7 Inch Color Screen



Call Monitor



Dual-way Call/Talk


Analog Indoor Monitor

Function


- 1.7"TFT color high-definition digital full-capacitance touch screen
- 2.luxury mirror flat panel ultra-thin design
- 3. Monitoring the outdoor station environment by picture and video.
- 4.video call, two-way talk & intercom with outdoor station,management center guard station.
- 5.remote open the door with unlock button
- 6. security alarm,can be connected to two defense areas(SOS/Gas)
- 7. can be connected to apartment outdoor door station
- 8. can be connected to multiple indoor monitors
- 9.supports RJ45 interface,
- 10.Call lift (requires an elevator control system)
- 11. supports POE power supply.
- 12.Menu touchscreen: Monitor/ Call guard/ SOS/ Automation/ message/ photo record/ Call lift/ Setting/Alarm

Specification

Display: 7-inch true-color digital high-definition capacitive full touch screen touch screen
Material: ABS plastic +PET
Resolution: 800*480 pixels
Working voltage: DC 12-24V
Working current: less than 500mA
Working temperature: -10℃ -50℃
Dimensions: 190*122*18 (mm)
Installation method: wall mounted



Analog 4.3inch



LNx-D22

Scan RFID Card

Password Unlock

HD  
2.0 MP

One button to call

130° Wide Angle

Monitoring

Night Vision

IP 54 Waterproof

Analog Outdoor Station

Function

- 1.Support IC card, ID card.
- 2.access control function.
- 3.open the door with password function.
- 4.support RJ45 network cable interface. 5.aluminum alloy body..
- 6.mechanical buttons.
- 7.TFT color LCD display.
- 8.CMOS color camera.
- 9.background light compensation function.
- 10. Installation: Wall-mounted or Embedded installation.

Specification

Camera: 1/3" CMOS
Definition: 700TVL
Display: LED Segment Display
Call time limit: 120 seconds
Working current: less than 500mA
Working voltage: DC 15V-18V
Working temperature: -30℃-60℃
Dimensions: 323*130*40mm
Installation size: 298*113*33mm





# Analog



## LNX-D32S



## Analog Outdoor Station

### Function

- 1.Support IC card, ID card.
- 2.access control function.
- 3.open the door with password function.
- 4.support RJ45 network cable interface.
- 5.aluminum alloy body..
- 6.mechanical buttons.
- 7.TFT color LCD display.
- 8.CMOS color camera.
- 9.background light compensation function.
10. Installation: Wall-mounted or Embedded installation.

### Specification

Camera: 1/3" CMOS

Definition: 700TVL

Display: LED Segment Display

Call time limit: 120 seconds


Working current: less than 500mA

Working voltage: DC 15V-18V


Working temperature: -30℃-60℃

Dimensions: 323\*130\*40mm


Installation size: 298\*113\*33mm



## Analog Apartment Intercom System Diagram



## Analog Apartment Intercom System Diagram





# 06

## Audio Analog Intercom


- ▶ Audio Outdoor Station
- ▶ Audio Handset
- ▶ Door Station Power Supply
- ▶ Decoder/Switch
- ▶ Outdoor Station Router



AUX



AUX-D52



## Non-visual Outdoor Station

### Function

- 1, Digital tube display, support ID card swipe.
- 2, Supports RJ45 network cable interface, aluminum alloy body, mechanical buttons, embedded installation.
- 3, High-definition LED display; aluminum alloy luxury brushed panel, elegant appearance, ' shockproof, anti-corrosion, anti-vandalism;
- 4, Call indoor station; support multi-unit door station; open/closed status detection;
- 5, Built-in ID access control smart card unlocking; user independent\public password unlocking ; Embedded iron box installation;
- 6, Working voltage DC15V; Power consumption 1W in standby, maximum 6W in operation; Talk time limit 60 seconds; Working temperature/humidity -10~55 degrees 10~95%;
- 7, Overall size 326\*123\*13( MM), embedded bottom box size: 302\*113\*33(MM).





# Handset



**AUX-A01**



## Non-visual Indoor Monitor

### Function

- 1, Mechanical buttons, voice calls, remote unlocking, wall-mounted installation, 2-core wire strip interface.
- 2, Hands-free calls, personalized 64 polyphonic ringtones;
- 3, Working power DC15V; power consumption 0.2W standby, maximum 0.45W working; audio distortion less than 5%; video input 1VP-P/75 ohm; call time  $\leq 60$  seconds; working Temperature/humidity -10~55 degrees 10~95%.



# Handset



**AUX-A02**



Answer/Hang up



Unlock

## Non-visual Indoor Monitor

### Function

- 1, Mechanical buttons, voice calls, remote unlocking, wall-mounted installation, 2-core wire strip interface.
- 2, Hands-free calls, personalized 64 polyphonic ringtones;
- 3, Working power DC15V; power consumption 0.2W standby, maximum 0.45W working; audio distortion less than 5%; video input 1VP-P/75 ohm; call time  $\leq 60$  seconds; working Temperature/humidity -10 $\sim$ 55 degrees 10 $\sim$ 95%.





# Handset



**AUX-A03**



Answer/Hang up



Unlock

## Non-visual Indoor Monitor

### Function

- 1, Mechanical buttons, voice calls, remote unlocking, wall-mounted installation, 2-core wire strip interface.
- 2, Hands-free calls, personalized 64 polyphonic ringtones;
- 3, Working power DC15V; power consumption 0.2W standby, maximum 0.45W working; audio distortion less than 5%; video input 1VP-P/75 ohm; call time  $\leq 60$  seconds; working Temperature/humidity -10 $\sim$ 55 degrees 10 $\sim$ 95%.



# Handset



**AUX-A06**



Answer/Hang up



Unlock



## Non-visual Indoor Monitor


### Function

- 1, Mechanical buttons, voice calls, remote unlocking, wall-mounted installation, 2-core wire strip interface.
- 2, Working power DC12-15V; power consumption 0.2W standby, maximum 0.45W working; audio distortion less than 5%; video input 1VP-P/75 ohm; call time  $\leq 60$  seconds; working Temperature/humidity -10~55 degrees 10~95%.







Middle Devices



DP-153



AUX-DE02




AUX-MS-4A

Middle Devices

Model	Features
SNX-DP-153	1, Supply power to the host in the building intercom system, and can supply power to electronic locks or magnetic locks. 2, Product size: 200*160*72mm; product composition: including 4.15A switching power supply; input voltage: 100-240VAC; output voltage: 15VDC; output current: 4.15A; output power: 62W; ripple and noise: <150mVpp; voltage Adjustment range: 12-15Vdc; general specification operating temperature: -10℃--+70℃; working humidity: <95%.
SKY-AUX-MS-4A	1.Each one can connect 4 households. 2.This intermediate equipment is used to connect extensions to the system to ensure system security and stability.
SKY-AUX-DE02	1.Expand the equipment of multiple door stations for the unit subsystem. 2.It can be connected up to 4 outdoor stations.




# Non-visual Digital Host System Diagram



## Note:

When the unit building is below 10 floors, RRV3X0.75 sheathed wires are laid on the main line; When the unit building is below 20 floors, RRV3X1.0 sheathed wires are laid; When the unit building is below 36 floors, RRV3X1.5 sheathed wires are laid. An outdoor station can connect up to 1024 households. Each decoder can connect 4 households in 1 floor. Please add another one decoder if over 4 households in 1 floor. If you have any questions, please contact our technical department.

# Non-visual Digital Host System Diagram



## Note:

When the unit building is below 10 floors, RRV3X0.75 sheathed wires are laid on the main line; When the unit building is below 20 floors, RRV3X1.0 sheathed wires are laid; When the unit building is below 36 floors, RRV3X1.5 sheathed wires are laid. An outdoor station can connect up to 1024 households. Each decoder can connect 4 households in 1 floor. Please add another one decoder if over 4 households in 1 floor. If you have any questions, please contact our technical department.



# 07

## IP+Analog Mixed Apartment

### Introduction:

The IP system uses the TCP/IP protocol, and the analog system uses the 485 protocol. SKYNEX has developed IP+Analog video door outdoor station intercom system combining TCP/IP protocol and 485 protocol with advanced technology. This system combines two different communication technologies. It is mainly composed of indoor monitor, outdoor station, analog specialized POE switch, aggregation switch, and property management center guard station.

In IP+Analog mixed system unit internal indoor monitor is analog, and external outdoor station is IP. and the IP signal is converted to analog signal and the aggregation function is realized through SKYNEX specialized aggregation switch. Thus to provide users with lower cost, more flexible, good audio and video effect, long transmission distance, stable and reliable communication solutions.






## IP+Analog Mixed Apartment Intercom System Diagram

Optional Analog indoor monitor



Up to 9999+ pcs indoor monitor



Optional IP outdoor station




## IP+Analog Mixed Apartment System Local LAN Networking Diagram

Optional Analog indoor monitor



Up to 9999+ pcs indoor monitor



Optional IP outdoor station






# 08


## Middle Devices / Accessories

- ▶IPOE
- ▶IPower
- ▶ILock
- ▶IRFID Card
- ▶IExit Button



Ethernet Switch

5 Port



SKY-S4005E

8 Port



SKY-S4008E

16 Port



SKY-S4016N

24 Port



SKY-S4024N


Ethernet Switch

Model	Features	Functions
SKY-S4005E	<ol style="list-style-type: none"><li>1. Can be used as Central Switch &amp; Aggregation Switch</li><li>2.if used as aggregation switch, put in first foolr or in the middle of building.</li><li>3.if used as central switch, put in the management center.</li><li>4 .how many ports of Aggregation switch to use? just see how many Non-standard switch used in unit building ,which will be put together on the Aggregation Switch.</li><li>5. how many ports of Central Switch to use? just see how many units, how many lines to guard station management center convergence.</li></ol>	<ul style="list-style-type: none"><li>●5port 10/100M fast Ethernet switch</li><li>●5V 1A</li><li>●External power</li><li>●Metal housing</li><li>●size:97*65*25mm</li></ul>
SKY-S4008E	<ol style="list-style-type: none"><li>1. can be used as Central Switch &amp; Aggregation Switch</li><li>2.if used as aggregation switch, put in first foolr or in the middle of building.</li><li>3. if used as central switch, put in the management center.</li><li>4 .how many ports of Aggregation switch to use? just see how many Non-standard switch used in unit building ,which will be put together on the Aggregation Switch.</li><li>5. how many ports of Central Switch to use? just see how many units, how many lines to guard station management center convergence.</li></ol>	<ul style="list-style-type: none"><li>●8port 10/100M fast Ethernet switc</li><li>●5V 1A</li><li>●External power</li><li>●Metal housing</li><li>●size: 141*80*28mm</li></ul>
SKY-S4016N	<ol style="list-style-type: none"><li>1. can be used as Central Switch &amp; Aggregation Switch</li><li>2.if used as aggregation switch, put in first foolr or in the middle of building.</li><li>3. if used as central switch, put in the management center.</li><li>4 .how many ports of Aggregation switch to use? just see many Non-standard switch used in unit building ,which will be put together on the Aggregation Switch.</li><li>5. how many ports of Central Switch to use? just see how many units, how many lines to guard station management center convergence.</li></ol>	<ul style="list-style-type: none"><li>●16-port 10/100M fast Ethernet switch</li><li>●Internal power supply</li><li>●Metal housing</li><li>●Desktop structure</li><li>●size:310*182*45mm</li></ul>
SKY-S4024N	<ol style="list-style-type: none"><li>1. can be used as Central Switch &amp; Aggregation Switch</li><li>2.if used as aggregation switch, put in first foolr or in the middle of building.</li><li>3. if used as central switch, put in the management center.</li><li>4 .how many ports of Aggregation switch to use? just see how many Non-standard switch used in unit building ,which will be put together on the Aggregation Switch.</li><li>5. how many ports of Central Switch to use? just see how many units, how many lines to guard station management center convergence.</li></ol>	<ul style="list-style-type: none"><li>●24-port 10/100M fast Ethernet switch</li><li>●Internal power supply</li><li>●Metal housing</li><li>●Desktop structure</li><li>●size:310*182*45mm</li></ul>



Non Standard POE


4 Port



10/100Mbps SPOE Switch

SKY-IP-4A


8 Port



10/100Mbps SPOE Switch

SKY-IP-8A


16 Port



SPOE Switch

SKY-IP-16A

24 Port




SPOE Switch

SKY-IP-24A

Model	Features	Functions
SKY-IP-4A	<ol style="list-style-type: none"><li>used in each unit building. Video door phone building intercom special products (support all IP Video door phone building intercom brands)</li><li>transfer data and power the indoor monitor</li><li>4 ports POE can be connected to 4 indoor monitor</li><li>2 uplink network ports are used for networking within the unit</li><li>Dip switch to select transmission 100m or 250m.</li><li>Warm tip: pay attention to the order of the connectors of the power supply network cable - straight-through mode; (optional upstream 1 gigabit optical port, standard control sharpener)</li><li>with protection power supply function</li></ol>	<ul style="list-style-type: none"><li>4+2 port SPOE switch (4 x 100M SPOE power supply ports + 2 x 100M cascade power ports)</li><li>built-in power supply : 24V 65W</li><li>Dimentions: 202*140*45mm</li><li>Net weight : 1.1 kg</li><li>Voltage: 24V (power supply mode: 45+, 78-)</li><li>Installation: housing with wall mounting hole position, convenient installation.</li></ul>
SKY-IP-8A	<ol style="list-style-type: none"><li>used in each unit building. Video door phone building intercom special products (support all IP Video door phone building intercom brands)</li><li>transfer data and power the indoor monitor</li><li>8 ports POE can be connected to 4 indoor monitor</li><li>2 uplink network ports are used for networking within the unit</li><li>Dip switch to select transmission 100m or 250m.</li><li>Warm tip: pay attention to the order of the connectors of the power supply network cable - straight-through mode; (optional upstream 1 gigabit optical port, standard control sharpener)</li><li>with protection power supply function</li></ol>	<ul style="list-style-type: none"><li>8+2 port SPOE switch (8 x 100M SPOE power supply ports + 2 x 100M cascade power ports)</li><li>built-in power supply : 24V 65W</li><li>Dimentions: 202*140*45mm</li><li>Net weight : 1.2kg</li><li>Voltage: 24V (power supply mode: 45+, 78-)</li><li>Installation: housing with wall mounting hole position, convenient installation.</li></ul>
SKY-IP-16A	<ol style="list-style-type: none"><li>used in each unit building. Video door phone building intercom special products (support all IP Video door phone building intercom brands)</li><li>transfer data and power the indoor monitor</li><li>16 ports POE can be connected to 4 indoor monitor</li><li>2 uplink network ports are used for networking within the unit</li><li>Dip switch to select transmission 100m or 250m.</li><li>Warm tip: pay attention to the order of the connectors of the power supply network cable - straight-through mode; (optional upstream 1 gigabit optical port, standard control sharpener)</li><li>with protection power supply function</li></ol>	<ul style="list-style-type: none"><li>16+2 port SPOE switch (16 x 100M SPOE power supply ports + 2 * Gigabit cascade power ports)</li><li>built-in power supply : 24V 200W</li><li>Dimensions : 310*182*45mm</li><li>Net weight: 2.1 kg</li><li>Voltage: 24V (power supply mode: 45+, 78-)</li><li>Installation: housing with wall mounting hole position, convenient installation.</li><li>Desktop; Optional configuration ear on cabinet.</li></ul>
SKY-IP-24A	<ol style="list-style-type: none"><li>used in each unit building. Video door phone building intercom special products (support all IP Video door phone building intercom brands)</li><li>transfer data and power the indoor monitor</li><li>24 ports POE can be connected to 4 indoor monitor</li><li>2 uplink network ports are used for networking within the unit</li><li>Dip switch to select transmission 100m or 250m.</li><li>Warm tip: pay attention to the order of the connectors of the power supply network cable - straight-through mode; (optional upstream 1 gigabit optical port, standard control sharpener)</li><li>with protection power supply function</li></ol>	<ul style="list-style-type: none"><li>24+2 port SPOE switch ( 24*100M SPOE power supply ports + 2 * Gigabit cascade power ports + 1*Gigabit SFP port without optical module )</li><li>built-in power supply : 24V 300W</li><li>Dimensions:310*182*45mm</li><li>Net weight: 2.2 kg</li><li>Voltage: 24V (power supply mode: 45+, 78-)</li><li>Installation: housing with wall mounting hole position, convenient installation.</li></ul>


Analog POE

Aggregation switch




SKY-LNX-IPC02

8+2 POE switch




SKY-LNX-MS05-8A

16+2 POE switch



SKY-LNX-MS05-16A

24+2 POE switch



SKY-LNX-MS05-24A

Model	Features
SKY-LNX-IPC02	1.7 10M/100MMbps adaptive power supply RJ45 ports+1 10/100MMbps cascaded RJ45 port for data exchange Appearance 2.size: 220 * 120 * 45MM 3.TCP/IP signal to 485 protocol
SKY-LNX-MS05-8A	1. 8 port 10M/100MMbps adaptive power supply RJ45 ports + 2port 10/100MMbps cascaded RJ45 ports 2. provides internal POE power supply for indoor monitor to realize data exchange and power transmission 3.Appearance size: 200*118*44mm 4. Analog system specialized POE switch
SKY-LNX-MS05-16A	1. 16 port 10M/100MMbps adaptive power supply RJ45 ports + 2port 10/100MMbps cascaded RJ45 ports 2. provides internal POE power supply for indoor monitor to realize data exchange and power transmission 3.Appearance size: 270*182*44mm 4. Analog system specialized POE switch
SKY-LNX-MS05-24A	1. 24port 10M/100MMbps adaptive power supply RJ45 ports + 2port 10/100MMbps cascaded RJ45 ports 2. provides internal POE power supply for indoor monitor to realize data exchange and power transmission 3.Appearance size: 330*162*44mm 4.Analog system specialized POE switch



Power Supply

power supply control 5A



SKY-DP-125

Power Adapter



SKY-AP-151

Power Supply

Model	Features	Functions
SKY-DP-125	1.Power supply for electric lock and magnetic lock , cathode lock , etc. 2. power for villa and apartment outdoor station 3.Power for all kinds of access controllers 4. Metal shell High quality circuit board, stable and durable. 5.Can meet various Normal open (NO) or closed (NC) of electricity lock、 Set to unlock time delay circuit、 Set open button input, Can open electricity lock、 Set CONTROL points.	●Input voltage: AC90-260V. 50-60 HZ. ●Output voltage: DC12V 5A. ●Time: 0-10s ●with magnetic lock delay function. ●Momontary current : 5A ●size: 182* 85*70
SKY-AP-151	1.Power for indoor monitor 2. four types : EU , AU, UK, USA plug	●Input voltage: AC 220V ●Output voltage: DC 15V ●Output current : 1.2A



Lock



SKY-280DJS-2



SKY-280DJS-1



SKY-DCS

280KG single



SKY-280S

280KG double



SKY-280D

electric strike lock



SKY-YJS

Lock

Model	Features	Functions
SKY-280S	1. single door magnetic lock 2.With lock status indicator, unlocking delay, feedback function 3.Compatible with access control system, building intercom system, fire linkage control system, any access control system. 4.Can be suitable for installation on fire doors, wooden doors, stainless steel doors, iron doors, glass doors and almost all types of door frames.	●Withstand tension: 280Kg ●DC 12V/0.25A ●Wall-mounted and embedded mounted ●Dimensions:26.6* 6.1 * 6.1 mm ●Net weight 1.86 kg ●kit matching lock L-bracket
SKY-280D	1. double door magnetic lock 2.With lock status indicator, unlocking delay, feedback function 3.Compatible with access control system, building intercom system, fire linkage control system, any access control system. 4.Can be suitable for installation on fire doors, wooden doors, stainless steel doors, iron doors, glass doors and almost all types of door frames.	●Withstand tension: 280Kg ●DC 12V/0.25A ●Wall-mounted and embedded mounted ●Dimensions: 60.5* 6.1 * 6.1 mm ●Net weight: 3.65kg ●kit matching lock L-bracket
SKY-280DJS-1	1. compatible with building system and access control system. 2. when turns out the lock tongue after opening the door, automatically retract the lock tongue and lock normally. 3. Can install in left door, right door, inside door, outside door and other door. 4. Automatic lock status check function, the door is automatically locked in 5~8 seconds after opening the lock by mistake or no one enters. 5.Service life of more than 500,000 times 6. high switch sensitivity , low power consumption, unlocking noise is small. 7.open door from inside by rotate lock, open door from outside by keys. Specially for apartment	●Operating voltage: DC12-DC 18V ●Switch lock current: < 350mA ●Static current: < 25mA ●Unlocking time: < 1S
SKY-280DJS-2	1. compatible with building system and access control system. 2. when turns out the lock tongue after opening the door, automatically retract the lock tongue and lock normally. 3. Can install in left door, right door, inside door, outside door and other door. 4. Automatic lock status check function, the door is automatically locked in 5~8 seconds after opening the lock by mistake or no one enters. 5.Service life of more than 500,000 times 6. high switch sensitivity , low power consumption, unlocking noise is small. 7.open door from inside by rotate lock, open door from outside by keys. Specially for apartment	●Operating voltage: DC12-DC 18V ●Switch lock current: < 350mA ●Static current: < 25mA ●Unlocking time: < 1S
SKY-YJS	Scope: applies to office buildings, wooden doors, stainless steel doors, fire doors, residential Entrance doors, Intelligent electric cabinet, storage cabinet, And anode mechanical lock or ball-type supporting use of locks.	●Voltage DC12-15v ●embedded installation
SKY-DCS	1. Power on to lock, power off to unlock. 3. Concealed 2-wire low-temperature electric plug lock 4. Door opening mode: power lock, magnetic induction, power off unlock 5. kit matching with Aluminum alloy door clamp,Small door clamp 6. For frameless glass , wooden , iron doors	●aluminum alloy,duarable. ●Starting current: 0.9A ●Working current: 0.45A ●Size: 200x34x43mm



RFID Card

IC Card Issuer



SKY-IP-ICR

blue card




SKY-IC/ID-1

White card



SKY-IC/ID-2

expoxy card



SKY-IC/ID-4

RFID Card

Model	Features	Functions
SKY-IP-ICR	<p>Exclusively for digital community system card issuance.The card issuer is a tool for reading and writing operations on the card, but it is different from the reader, card reader or reading head. The card issuer can perform operations such as card reading, writing, authorization, and formatting. The main function is to initialize the card, register and logout in the access control system.</p> <p>The main functions of the card issuer are:</p> <ol style="list-style-type: none"><li>1. The USB interface is used for power and communication, no external power supply is required, and the light and sound prompts the working status.</li><li>2. USB interface for power and communication, no need for external power supply, light and sound prompts the working status.</li><li>3. Set the user card swiping authority, valid period of use or number of times of use.</li><li>4. Set and modify the area code, date and clock, unlock time, blacklist processing, etc. of the controller by setting the management card.</li></ol>	<ul style="list-style-type: none"><li>●5port 10/100M fast Ethernet switch</li><li>●5V 1A</li><li>●External power</li><li>●Metal housing</li><li>●size:97*65*25mm</li></ul>
SKY-IC/ID-1	<ol style="list-style-type: none"><li>1.High quality chip, sensitive sensing</li><li>2.ABC environmental protection material, not easy to wear, waterproof and anti-fall</li><li>3.Application scenarios: access card, elevator card, parking card, time card,coded lock card</li></ol>	<ul style="list-style-type: none"><li>●size: 27*35*44mm</li><li>●sensing distance: 1-5 cm</li><li>●Material: High quality PVC, copper wire, authentic chip</li><li>●Temperature: -20℃ ~ +50℃</li><li>●Package:100pcs/ bag</li></ul>
SKY-IC/ID-2	<ol style="list-style-type: none"><li>1.High quality chip, sensitive sensing</li><li>2.ABC environmental protection material, not easy to wear, waterproof and anti-fall</li><li>3.Application scenarios: access card, elevator card, parking card, time card,coded lock card</li></ol>	<ul style="list-style-type: none"><li>●size: 85*54*0.8mm</li><li>●sensing distance: 1-5 cm</li><li>●Material: High quality PVC, copper wire, authentic chip</li><li>●Temperature: -20℃ ~ +50℃</li><li>●Package:10pcs/strip, 200pcs/ box</li></ul>
SKY-IC/ID-4	<ol style="list-style-type: none"><li>1.Swipe card induction: high sensitivity, fast frequency, fast reading speed</li><li>2.Compact and intelligent: can be hung on the key chain, easy to carry</li><li>3.Strong water resistance, not easy to wear, anti-corrosion</li><li>4.Application scenarios: access card, elevator card, parking card, time card,coded lock card</li></ol>	<ul style="list-style-type: none"><li>●size:50*30*3.5mm</li><li>●sensing distance: 2-10 cm</li><li>●Material: High quality PVC, copper wire, authentic chip</li><li>●Temperature: -20℃ ~ +50℃</li></ul>

## Exit Button

## Exit Button

Legrand



**SKY-ERQ31MJ**

Surface mounted



**SKY-SNT70**

Infrared sensors



**SKY-Z30**

narrow edge



**SKY-J23**

Waterproof



**SKY-86W**

Stainless steel



**SKY-86S**

Model	Features	Functions
SKY-ERQ31MJ	<ol style="list-style-type: none"> <li>1.The well-designed copper parts and silver alloy contacts are used inside the switch, and the current conduction is good, and the switch is used more than 40,000 times</li> <li>2.High strength, durable elasticity, force balance, safe use of electricity</li> <li>3.High quality, fireproof PC material, phosphorous copper, silver alloy, passed flame retardant test.</li> <li>4.Big button, automatic reset switch</li> <li>5.86 Bottom box installation</li> <li>6.usually open output</li> </ol>	<ul style="list-style-type: none"> <li>•Size: 86*86mm</li> <li>•Votalge:DC12V</li> <li>•Temperature: -20 ℃ ~ + 55 ℃</li> <li>•Humidity: 0-95%</li> <li>•Net weight: 0.1kg</li> </ul>
SKY-SNT70	<ol style="list-style-type: none"> <li>1.Non-contact induction switch, does not need to touch the switch to trigger the signal</li> <li>2.NO/NC/COM contact output, that is, normally open and normally closed type</li> <li>3.Adjustable sensing distance, 5~20CM</li> <li>4.Optional delay control, support 0-30 seconds delay adjustment</li> <li>5.Stainless steel panel, waterproof</li> <li>6.LED two-color indicatorStandby blue, response green</li> </ol>	<ul style="list-style-type: none"> <li>•Size:115* 70*25</li> <li>•Votalge:DC12V-24V</li> <li>•Interface Output: NO/ NC/COM</li> <li>•Material: Stainless steel panel</li> <li>•Temperature: -20 ℃ ~ + 55 ℃</li> <li>•Humidity: 0-95%</li> <li>•Carton size: 100 in 1 box (51*43*33cm)</li> <li>•Net weight: 0.1kg</li> </ul>
SKY-Z30	<ol style="list-style-type: none"> <li>1.Metal installation, no need to install the bottom box.</li> <li>2.NO/COM contact output, normally open type</li> <li>3.durable test:500,000 times aging qualified</li> </ol>	<ul style="list-style-type: none"> <li>•Size: 80*30*25mm</li> <li>•Votalge:DC12V</li> <li>•Interface Output: NO/COM</li> <li>•Material: zinc alloy</li> <li>•Temperature: -20 ℃ ~ + 55 ℃</li> <li>•Humidity: 0-95%</li> <li>•Carton size: 200 in 1 box ( 38*38*22cm)</li> <li>•Net weight: 0.11kg</li> </ul>
SKY-J23	<ol style="list-style-type: none"> <li>1.Panel material: stainless steel + PVC</li> <li>2.Contact output: NO/NC/COM</li> <li>3.Waterproof class: IP65</li> <li>4.Input voltage: DC12V</li> <li>5.durable test:500,000 times aging qualified</li> <li>6.Usage scenario: hollow door frame, 86 bottom box</li> <li>7.automatic reset</li> </ol>	<ul style="list-style-type: none"> <li>•Size: 86*86mm</li> <li>•Votalge:DC12V</li> <li>•Temperature: -20 ℃ ~ + 55 ℃</li> <li>•Humidity: 0-95%</li> <li>•Net weight: 0.2kg</li> </ul>
SKY-86S	<ol style="list-style-type: none"> <li>1.Stainless steel, brushed stainless steel surface</li> <li>2.wall mounted or 86 bottom box mounting</li> <li>3.durable test:500,000 times aging qualified</li> <li>4.High quality metal spring, impact resistance, high elastic coefficient, durable</li> <li>5.Metal button, automatic reset</li> </ol>	<ul style="list-style-type: none"> <li>•Size: 86*86mm</li> <li>•Votalge:DC12V</li> <li>•Temperature: -20 ℃ ~ + 55 ℃</li> <li>•Humidity: 0-95%</li> <li>•Net weight: 0.2kg</li> </ul>



## Cooperators






































## Cooperators








































## Liaoning Province

• Hengda World City, Shenyang City	3904 households	• The second phase of Mingzhu, Kanghu, Shenyang City	596 households
• Hengda International Hot Spring Town, Shenyang City	1581 households	• Mingzhu Phase 3, Kanghu, Shenyang City	658 households
• Yuelong Tai Phase 1, Hengda,Shenyang	1228 households	• Holiday Europe City, Shenyang City	360 households
• Evergrande Central Square, Shenyang City	1122 households	• Hui'an Huafu, Shenyang City	368 households
• Evergrande Four Seasons Shangdong, Shenyang	384 households	• Hongjing Garden, Shenyang City	334 households
• Zhongjin Lanting, Shenyang City	739 households	• Public Security Department Shenyang City	132 households
• Zhizun Square, Shenyang City	550 households	• Industrial and Commercial Garden, Shenyang City	120 households
• Changdi Bay, Shenyang City	2684 households	• Faku Jinxiu Blue Bay, Shenyang City	577 households
• Huiqian Building, Zhangshi District, Shenyang City	700 households	• Donghu Xuefu, Shenyang City	500 households
• Yilin Xingli, Shenyang City	600 households	• Dongda Wisdom Xin Yuan, Shenyang City	220 households
• Phase 4, Rongye Central Plaza, Shenyang City	320 households	• Cuioxy Garden, Shenyang City	218 households
• Xinhai Sunshine Garden, Shenyang City	798 households	• Shen Lianying house, Shenyang City	208 households
• Xiaokang Jiayuan, Shenyang City	2385 households	• Shengkong family building, Shenyang City	150 households
• Xinyun Yaju, Shenyang City	910 households	• Shenbei International, Shenyang City	450 households
• Wutongshu, Shenyang City	300 households	• Shen'an Residential District, Shenyang City	650 households
• Wenguan Yuan, Shenyang City	626 households	• Lisheng, Bilshui, Shenyang City	904 households
• Shiou Ronghui City, Shenyang City	902 households	• Alixiangshe, Shenyang City	850 households
• Times Mingcheng City, Shenyang City	586 households	• Rongye Central Square, Shenyang City	426 households
• Yongjing, Sheng Tang Dynasty, Shenyang City	2152 households	• Huijing Huating, Shenyang City	492 households
• Xinju of house House in Shenyang City	668 households	• Evergrande Yunxi, Dalian City	2150 households
• Shangshu Mansion, Shenyang City	980 households	• Berlin Spring Residential District, Dalian City	678 households
• Forest light in Shenyang City	2223 households	• Yuluwan residential district, Dalian City	168 households
• Rongxin Forest in Shenyang City	1200 households	• Fruit New Town Dalian City	372 households
• Mingfa Square, Shenyang City	1290 households	• Fugui University Dalian City	290 households
• Mira Jingdian residential community, Shenyang City	700 households	• Fugui Homestead, Dalian City	300 households
• Lushan Yuan, Shenyang City	1150 households	• Housing project for the disabled Dalian City	144 households
• Xinhua Garden, Shenyang City	130 households	• Mingjinglian City, Dalian City	660 households
• Muyue Fu, Shenyang City	1188 households	• Liuxiang Garden, Dalian City	1150 households
• Jin Yuhua City, Shenyang City	400 households	• Phase 3, Huaxin Villa, Dalian City	160 households
• Jinyu residential district, Lida Hang, Shenyang City	240 households	• Evergrande Binhe Family, Panjin City	958 households
• Lido New City, Shenyang City	850 households	• Yunxiang residential district, Panjin City	1300 households
• Kunboyuan, Shenyang City	450 households	• Yingbin residential district, Panjin City	166 households
• Kunbo Happiness City, Shenyang City	1320 households	• Xingshun Garden, Panjin City	285 households
• Mingzhu Phase I, Kanghu, Shenyang City	866 households	• Xinglongtai residential district, Panjin City	1800 households
• Xinhua International City, Panjin City	200 households	• Huiyuan Residential District, Tieling City	206 households
• Phase I Renovation of Shangxi Community, Panjin City	1320 households	• Guanglong Jiayuan, Tieling City	200 households

• Phase II Transformation of Shangxi Community, Panjin City	1300 households	• Fanhe Jinwan Bay, Tieling City	812 households
• Renovation of Heping Community, Panjin City	1060 households	• Dongsheng Garden, Tieling City	298 households
• Xingshun Residential District, Panjin City	426 households	• Dongshan Famous County, Tieling City	150 households
• Finance and Trade Community, Panjin City	1173 households	• Dongsheng Garden, Tieling City	718 households
• Imperial Huacheng, Panjin City	1036 households	• Chengbei Garden, Tieling City	363 households
• Yushu Lanan, Yingkou City	350 households	• Bolun Lanting, Tieling City	698 households
• Tianci Garden, Yingkou City	356 households	• Biyue Lanwan, Tieling City	2200 households
• Shuiyue Bay, Yingkou City	486 households	• Riverside Zijun, Liaoyang City	587 households
• D District,Quan Town, Shuangtai Town, Yingkou City	368 households	• Zijin Xingcheng, Liaoyang City	223 households
• Jintai University, Yingkou City	110 households	• Zhumei Chengju, Liaoyang City	1122 households
• Jiahe Shanhai, Yingkou City	596 households	• Xincun Community of Posts and Telecommunications, Liaoyang City	636 households
• Yingkou International New City	758 households	• Tianfu Residential District, Liaoyang City	1150 households
• Greene Xinyuan, Yingkou City	300 households	• Fourthly Residential District, Liaoyang City	570 households
• Dongcheng Farmers Market Residential area, Yingkou City	168 households	• Lijing New Town, Liaoyang City	388 households
• Military family building, Yingkou City	170 households	• Lantingshengyuan, Liaoyang City	150 households
• Old Residential area of Ruyuhuan District, Yingkou City	3800 households	• Old Renovation Residential District, Liaoyang City	529 households
• Residential area of Traditional Chinese Medicine Hospital, Tieling City	281 households	• Dalu Community, Liaoyang City	420 households
• Baita Residential District, Tieling City	1500 households	• Shengbaolong Wisdom Park, Liaoyang City	672 households
• Sunshine Garden, Tieling City	893 households	• Beichen, Liaoyang City	598 households
• Tieling City	598 households	• Capital of Beichen, Liaoyang City	1280 households
• Xingguang Shengyuan, Tieling City	388 households	• Yangguang Lijing Residential District, Kaiyuan City	442 households
• Xinyuan, Wolong, Tieling City	376 households	• Capital of Yaxin, Kaiyuan City	550 households
• Shanghu County, Tieling City	398 households	• Tailai 16 District, Kaiyuan City	655 households
• Commercial Community in Tieling City	225 households	• Bailui Shopping mall Building, Kaiyuan City	260 households
• Ping An Residential District, Tieling City	880 households	• Xinglong Jiayuan, Jinzhou City	250 households
• Nanhu New District, Tieling City	2135 households	• Xinghui Yuan, Jinzhou City	800 households
• Longshan Residential District, Tieling City	591 households	• Xiangjiang Haoting, Jinzhou City	268 households
• Renovation Project of old District, Tieling City	2800 households	• Wuli Silver residential district, Jinzhou City	1800 households
• A Family Building of the Air Force , Tieling City	150 households	• Family building, Tiebei Military Division, Jinzhou City	200 households
• Hyatt Garden, Tieling City	532 households	• Tianrui Classic, Jinzhou City	244 households
• Surprisingly Yaju in Tieling City	455 households	• Pinganli residential district, Jinzhou City	540 households
• Linwan, Jindi, Tieling City	1100 households	• Campus of Jinzhou Training Institute	200 households
• Jixiana Residential District. Tielina City	537 households	• Nanjing Huafu, Jinzhou City	335 households
		• Dongfang Huafu, Jinzhou City	166 households
		• Honarun Lanxi. Jinzhou City	200 households



## Projects

• Community of Heishan Pump Station, Jinzhou City	268 households
• Fukangli Residential District, Jinzhou City	150 households
• Fude Residential District, Jinzhou City	120 households
• Diwang Huacheng, Jinzhou City	936 households
• Chengzhong City Garden, Jinzhou City	166 households
• Bai Residential District, Jinzhou City	198 households
• Basan residential district, Jinzhou City	285 households
• Shipbuilding Jiayuan Park, Huludao City	796 households
• Residential area of oil pumping station, Huludao City	360 households
• Xingcheng Xinghe Town, Huludao City	650 households
• Kaidi Homeland, Huludao City	450 households
• Shanhe Peninsula, Huludao City	370 households
• Longfujiu carp, Huludao City	495 households
• Jinwu Huafu, Huludao City	780 households
• Golden Riverside, Huludao City	222 households
• Hongjing Mingcheng City, Huludao City	450 households
• Dongfanghong Residential District, Huludao City	620 households
• Yongli Jiayuan, Fuxin City	259 households
• Hanlin Huafu, Fuxin City	662 households
• Dongfang Longcheng, Fuxin City	555 households
• Chengyangguang, Fuxin City	156 households
• Binhe Garden, Fuxin City	456 households
• Yanglicheng, Fushun City	692 households
• Xinbin Sunshine Garden, Fushun City	298 households
• Shuguang Courtyard, Fushun City	182 households
• Longda Garden, Fushun City	252 households
• Jiangjun Riverside Garden, Fushun City	336 households
• Hongshu Bay, Fushun City	200 households
• Fugui Home, Fushun City	110 households
• Phoenix City, Fushun City	218 households
• Mid–hills Courtyard, Fushun City	598 households
• Yinhe Bay, Fengcheng City	980 households
• Landscape Villa, Fengcheng City	196 households
• Laomiao residential district, Fengcheng City	591 households
• C District, Riverside Pearl, Fengcheng City	988 households
• Shanshui Yaju in Dandong	810 households
• Family building of wool silk factory in Dandong	790 households
• Xianachena Jiuli. Kuandian. Dandong City	289 households

• Kangling Huamei residential district, Dandong City	380 households
• Ji 'an Jiayuan, Dandong City	298 households
• No. 3 Courtyard, Fenghuang Capital, Dandong City	1100 households
• Dongtang Yipin residential District, Dandong City	600 households
• Fengjing City, Dandong City	816 households
• Zhongbao Residential District, Chaoyang City	200 households
• Yuhe New Town, Chaoyang City	328 households
• Yi Yuan, Yinhewan, Chaoyang City	496 households
• Yinhe Community, Chaoyang City	1200 households
• Yangducheng Residential District, Chaoyang City	389 households
• Xinhua Yayuan, Chaoyang City	710 households
• Xinjiayuan City, Chaoyang City	190 households
• Xincheng Mingfu, Chaoyang City	1280 households
• Xiangyang Community Community, Chaoyang City	860 households
• Xijie Garden, Chaoyang City	1192 households
• A jade family in Wanheng Century City, Chaoyang City	100 households
• Tianma Times Square, Chaoyang City	158 households
• Danfu, Chaoyang City	475 households
• Qingshan Community, Chaoyang City	1100 households
• Longwan New Town, Chaoyang City	1200 households
• Longquan Jiayuan residential Community, Chaoyang City	814 households
• Imperial View of the Golden Tang Dynasty in Chaoyang City	1257 households
• Jiangnan Shuyuan, Chaoyang City	615 households
• Phase 3, Huaxengcheng City, Chaoyang City	160 households
• Huaxin City, Chaoyang City	300 households
• Fenghuang County, Chaoyang City	117 households
• Dongcheng Tianxia, Chaoyang City	1150 households
• Yucai Yayuan, Benxi City	395 households
• Yi Mansion, Benxi City	420 households
• Tianhe Residential District, Benxi City	398 households
• Shuxin Jiayuan, Benxi City	220 households
• Century Garden, Benxi City	420 households
• Jingxiu Garden, Benxi City	800 households
• Construction Yulong Lake, Benxi City	518 households
• Riverside Garden, Benxi City	495 households
• Donavi Garden. Benxi City	300 households

• The family building of Unit 81, Benxi City	290 households
• Meixin Manor, Zongjun, Anshan City	2122 households
• Landi New City, Anshan City	1069 households
• Yun Jingtai Phase I, Anshan City	430 households
• Yun Jingtai Phase II, Anshan City	380 households
• Yun Jingtai, Anshan City	430 households
• Yuantai Residential Community, Anshan City	552 households
• Yongfeng Garden, Anshan City	1000 households
• Xianshi Mingfu, Anshan City	616 households
• Four Seasons, Weimei, Anshan City	202 households
• Rongshu Wan, Anshan City	335 households
• Longzhimeng residential district, Anshan City	1220 households
• Phase I of Jufu Mansion, Anshan City	816 households
• Phase II of Jufu Residence in Anshan City	586 households
• Electrostatic Community, Anshan City	950 households
• Haifu Family in Anshan	1200 households
• Fangcao pearl in Anshan City	300 households
• A century–old family in Anshan	900 households
• Centennial Huafu II, Anshan City	1200 households
• Centennial Huafu, Anshan City	1398 households

## Jilin province

• Yang Guang Di Jing, Changchun City	1098 households
• Wanrun Residential District, Changchun City	280 households
• Mingshi Jiayuan, Changchun City	531 households
• Minsheng Jiayuan, Changchun City	474 households
• Golden Olive City, Changchun	1179 households
• Jicheng Fu Garden, Changchun	1127 households
• Hengju Yi, Changchun City	1378 households
• Silicon Valley residential district, Changchun	1090 households
• Ruiyuan residential community, Yanbian Autonomous Prefecture	315 households
• Liudingshan Tourism Area, Yanbian autonomous Prefecture	320 households
• Changchun Garden, Tonghua City	246 households
• Yuan Xiangshu, Tonghua City	418 households
• Yinhe County Prefecture. Tonghua City	1100 households

## Projects

• Sunshine Garden, Tonghua City	516 households
• Dongqing Garden, Tonghua City	400 households
• Shangcheng District, Songyuan City	600 households
• Yinza International, Siping City	280 households
• Dongfang Community, Siping City	500 households
• Siping City of Jilin Province ideal City–state	140 households
• Old residential district, Lishu County, Siping City	1130 households
• Lanshan Shangcheng, Siping City	395 households
• Jinbi Pavilion, Siping City	189 households
• Hanzhou Yuan, Siping City	640 households
• Guojiadian residential area, Siping City	854 households
• Xingyuan District, Liaoyuan City	960 households
• Mei Jingtian City, Liaoyuan City	122 households
• Jinshui Mingyuan, Liaoyuan City	985 households
• Xintiandi Apartment, Jilin City	290 households
• Songjiang Shenyuan, Jilin City, China	678 households
• Xin De Mingshi, Baishan City	650 households
• Commercial and residential building of Baishan pump station	420 households
• Vientiane Prefecture, Baicheng City	723 households
• Huitong Building, Baicheng City	188 households

## Inner Mongolia

• Evergrande Health Valley, Hohhot	4032 households
• Evergrande Jade Huading in Hohhot	950 households
• Xingan Yipin Residence, Ulanhot	1616 households
• Family buildings in Yangduan Road, Ulanhot City	212 households
• Guandi, a new green town in Ulanhot City	245 households
• Family building of People's Bank of Ulanhot	210 households
• Agricultural Bank family building in Ulanhot City	200 households
• Nanqiao People's Insurance family building, Ulanhot City	228 households
• High voltage power supply Bureau building in Ulanhot City	220 households
• The family building of Ulanhot Power Bureau	235 households
• Shangri–la Garden, Tongliao City	598 households
• Minazhu Garden. Tongliao City	320 households



## Projects

• Family building, Electronics Industry Park, Tongliao City	980 households	• The second phase of Liningli, Jiamusi City	180 households
• The second phase of Green Island Garden, Tongliao City	374 households	• Phase I of Yushu Lanting, Jiamusi City	1218 households
• Inner Mongolia Tongliao city green island garden	862 households	• Phase II of Yushu Lanting, Jiamusi City	320 households
• Millenium Jiayuan, Tongliao City	180 households	• Yuhua Yuan Community, Mudanjiang City	832 households
• Fenghuang City, Tongliao City	522 households	• Feihe Yuquanhuafu, Qiqihar City	461 households
• Jinquan Jiayuan, Tongliao City	373 households	• Residential building for cadres in Qiqihar City	198 households
• Jiajia Garden, Tongliao City	1850 households	• Red agate in Qiqihar City	168 households
• Huaxing International Community, Tongliao City	1272 households	• Garden residential district, Qiqihar City	588 households
• Haolong residential district, Tongliao City	156 households	• Huahan Yuan, Qiqihar City	230 households
• Tongliao International New City	410 households	• Sanhe Building, Qiqihar City	198 households
• Tongliao International City	510 households	• Shuxin Homeland, Qiqihar City	190 households
• Beiguo Village, Tongliao City	500 households	• Four Seasons residential district, Qiqihar City	256 households
• Tang Feng Huazhu, Tongliao City	668 households	• Xueyuan Yayuan, Qiqihar City	208 households
• The second phase of Xinghu Family, Tongliao City	1521 households	• Sunshine Garden, Qiqihar City	476 households
• The first phase of Xinghu Family, Tongliao City	724 households	• Friendship Garden in Qiqihar City	345 households
• Fortune Shangcheng, Naiman Banner, Tongliao City	288 households	• Yulong Xinyuan, Qiqihar City	495 households
Hengtai homeland, Hexigteng Banner, Chifeng City	253 households	• Yuting Garden, Qiqihar City	698 households
Rongfu Garden, Hulunbuir City	481 households	• Renovation of residential buildings Qiqihar City	576 households
		• Xuefu New City, Shuangyashan City	1780 households

## Beijing

- Hengyue City Phase 1, Fengtai District 3602 households
- Xishan Tianjing, Mentougou District 960 households

## Tianjin Province

• Hengda Yuehu Residence, Binhai New Area.	1188 households
• Yixianli, Hexi District.	293 households
• Qiaoxin Garden, Hexi District.	264 households
• Moka Holiday residential district, Xiqing District.	936 households
• Liuxin Garden, Xiqing District	644 households
• Lihong Garden, Beichen district.	2100 households
• Huijing Garden, Beichen district.	1100 households
• Chilongwan, Jinnan District.	600 households
• Baoxing Garden, Baobao District.	708 households

## Heilongjiang Province

• Evergrande Times Square, Harbin	1792 households
• Jiangwan New Town, Harbin	980 households
• Lancia Goya, Harbin	2180 households
• Xiangfang Linen Garden, Harbin	1585 households
• Binhu Garden, Daqing City	655 households
• Hanlinyuan, Daqing City	398 households
• Jinxiu Kangcheng, Daqing City	928 households
• Jinxiu Kangcheng Phase II, Daqing City	646 households
• Longnan Residential District, Daqing City	230 households
Yuxin Jiayuan in Daqing City	710 households
• Guanjiang Yaju, Jiamusi City	785 households
Harmony Garden, Jiamusi City	322 households
• Meili Home, Jiamusi City	438 households
• Old renovation in Tongjiang city, Jiamusi City	1880 households
• One phase. Xinlinli. Jiamusi City	128 households

## Shanxi Province

- Mian Embroidery Garden, Jinzhong City 1558 households

## Jiangsu province

• Hengda Health Valley, Nanjing City	2022 households
• Yunmeng Shangpin Dongyuan/Xiyuan, Nanjing City	460 households
• Datong LAN County, Guancheng City, Nanjing	1128 households
• Villa of Liuyuan Center, Nanjing City	118 households
• JunruiFu Sigi, Hengda, Yixing City	1810 households
• Evergrande Jade Bay, Lianyungang City	1848 households

## Anhui province

• Zhangwa Road Community, Zhongtie, Hefei City	320 households
• Qixia Villa, Zhongtie, Hefei City	360 households
• Zhongtie East Sacred Garden, Hefei City	450 households
• Xinlong Homeland, Hefei City	1760 households
• Longfengjiayuan Phase II, Hefei City	420 households
• Talent Apartment, Science Island, Hefei	621 households
• Kaiyuanfu residential district, Hefei City	918 households
• Xianglong residential district, Hefei City	1608 households
• Beiyuan resettlement community, Fuyang City	712 households
• Wanxin Culture Square, Fuyang City	1320 households
• Wanxin Jiang Shanyue, Fuyang City	1200 households
• Qinghuayuan Community, Chuzhou City	260 households
• Chenlong Haitang Bay, Chuzhou City	540 households
• Milan Garden, Chuzhou City	800 households
• Shui'an Star City, Chizhou City	360 households
• Yaocheng Shui Bank, Chizhou City	589 households
• Guangguangda Market Resettlement Community, Bengbu City	540 households
• Xiwan International Garden, Bengbu City	1500 households

## Jiangxi Province

- Henada Royal View, Ganzhou City 960 households

## Projects

• Hengda River Bay, Ganzhou City	1882 households
• Hengfu Homeland, Xinfeng, Ganzhou City	404 households
• Xintiandi residential district, Ganzhou City	352 households
• Renovation of an old residential district Ganzhou City	360 households
• New era of medium coal in Ganzhou City	736 households
• Hengda Yue Lanting, Jiujiang City	1456 households
• A park in Yichun City	408 households
• Yuhu Mingxian County, Yichun City	1044 households
• Contemporary Reading, Fuzhou City	1022 households

## Shandong Province

• Lijing Phase 4, Yunfeng, Yantai City	238 households
• LAN Bay, Xinghai, Yantai	459 households
• Fucheng, Maoyuan City, Yantai City	488 households
• Baolong City II, Yantai.	1019 households
• Yu Taixiang Garden, Weifang City	1264 households
• Sakura International Residential Community, Weifang City	485 households
• Mansion No. 1, Weifang City	666 households
• Tianhe Residence, Weifang City	652 households
• Century Garden, Weifang City	700 households
• Shenghua Garden, Weifang City	526 households
• Lanting Palace, Weifang City	1278 households
• Hongxing Jiayuan, Weifang City	3872 households
• Baolong Garden, Weifang City	762 households
• Genting Sunshine, Weihai City	460 households
• Intercontinental Garden, Tai 'an City	416 households
• Zhongguanyue Fu, Qingdao City	1290 households
• Zhongzhao Resettlement District, Qingdao City	338 households
• Zhongyong Residential district, Qingdao City	228 households
• Zhengbei Mingcheng Residential District, Qingdao City	625 households
• Zhenciaga, Qindao City	242 households
• Yunxi City, Qingdao City	962 households
• Yudu Garden, Qingdao City	526 households
• Yuyuan Residential District, Qingdao City	386 households
• Another city in Qingdao	786 households
• Ginza Shopping Mall in Qindao	186 households



## Projects

• Yilan Garden Villa, Qindao City	380 households	• Jinke Imperial Garden, Qingdao City	766 households
• Sunshine Xinyuan, Qingdao City	652 households	• Xincheng, Jindu, Qindao City	1720 households
• Sunshine Li Garden, Qingdao City	308 households	• Jiaodong Airport resettlement area, Qingdao City	1628 households
• Sunshine Homeland, Qindao City	350 households	• Agricultural dormitory in Jimo district, Qingdao City	320 households
• Sunshine Garden, Qingdao City	226 households	• Ichijia Garden, Qingdao City	84 households
• Happy Home, Qindao City	192 households	• Huidong Mansion, Qingdao City	746 households
• Residences in Xingcheng City, Qingdao City	608 households	• Huiyingming County, Qingdao City	1188 households
• Xinling Garden, Qingdao City	312 households	• Huijing Garden, Qingdao City	786 households
• Xiaonan Village project in Qingdao	343 households	• Villa Area, Huwan Island, Qingdao City	112 households
• Xiangshan Mansion Residential District, Qingdao City	276 households	• Haobao Garden, Qingdao City	62 households
• Xiangshan Residence, Qingdao City	276 households	• Hangzhou Garden, Qingdao City	252 households
• Xiyingmen Square, Qingdao City	54 households	• Haiyun Mingbang, Qindao City	1922 households
• Xishan Garden, Qingdao City	278 households	• Haiyue Bay residential Community, Qingdao City	574 households
• Xihu County residential district, Qingdao City	764 households	• Fugui Garden, Qindao City	512 households
• Xihu County, Qingdao City	764 households	• Fujunju, Qindao City	276 households
• Qingwean Peninsula Residential Community, Qingdao City	1357 households	• Furong Town, Qingdao City	950 households
• Taihe Wangdi community, Qingdao City	186 households	• Fangjing Renjia, Qindao City	150 households
• Four Seasons Flower City, Qindao City	528 households	• Dongzhou Yueyuan, Qingdao City	293 households
• Shuxiang Mingyuan, Qingdao City	1674 households	• Donghu Star City, Qingdao City	692 households
• Seoul Town Garden, Qingdao City.	414 households	• Defu Square, Qingdao City	324 households
• Shengtian International Residential Community, Qingdao City	497 households	• Zhengxin Garden, Dahua, Qindao City	500 households
• Shengshi Homeland, Qingdao City	280 households	• Cuizhu Garden, Qingdao City	216 households
• Xindeyuan, Shaohai, Qindao City	430 households	• Zhangao Lingyu Residential District, Qingdao City	426 households
• Shanshui International Community, Qingdao City	1062 households	• Antai Residential District, Qingdao City	700 households
• Rongxiang Mingdi, Qindao City	282 households	• 71146 Army Garrison, Qindao City, China	128 households
• Swiss Garden, Qindao City	178 households	• Longwan, Jinyu, Jining City	210 households
• Rena Aoyuan Park Qindao City	590 households	• The Great Wall Residence, Heze City	1522 households
• Ruyi Homeland, Qindao City	328 households	• Xuefu Huating, Heze City	230 households
• Nanqu District, Qingdao City	36 households	• Vientiane Square, Heze City	409 households
• Luohuanjian residential district, Qingdao City	325 households	• Wanchen-juxinyuan, Heze City	74 households
• Longquan Garden, Qingdao City	366 households	• Tianyou University in Heze	854 households
• Linglongyuan Villa District, Qingdao City	96 households	• Dream Butterfly Manor, Heze City	455 households
• Lihua Prefecture, Kuanren, Qingdao City	36 households	• Hanlin Mansion I and II, Heze City	1120 households
• Kandu Green Garden, Qingdao City	302 households	• Tonghai Jiayuan Park, Dongying City	568 households
• Junhuilanting, Qindao City	224 households	• Jiayuan, Huanghe, Dongying City	660 households
• Jinxiu Jiavuan. Qindao City	104 households	• Qingyuan Xinju Phase I, Dezhou City	220 households
		• Old residential renovation Binzhou City	2986 households
		• Old renovation project in Binzhou City	540 households

• Mingzhu residential area, Binzhou City	252 households
--	----------------

## Henan Province

• Jinsheng Waterfront Garden, Zhengzhou City	870 households
• Phase II of Jinxiu Garden, Zhengzhou City	1900 households
• Lot 3, Ruijing Residential District, Zhengzhou City	1460 households
• Lot 4, Ruijing Residential District, Zhengzhou City	1180 households
• Lot 5, Ruijing Residential District, Zhengzhou City	2160 households
• Shenghe resettlement community, Zhengzhou City	2100 households
• Hengdaijing, Kaifeng City	1276 households
• Hengda Future City, Kaifeng	2508 households
• Phase II, North Ring 1 Residential District, Kaifeng City	326 households
• Phase 3, North Ring 1 Residential District, Kaifeng City	275 households
• Phase I of Rongxin Four Seasons City Community, Kaifeng City	560 households
• No. 2 Courtyard, Wanda Jinlin Mansion, Kaifeng City	1200 households
• Evergrande Future City, Anyang City	912 households
• Huize Capital Community, Anyang City	874 households
• Wenboyuan Wisdom, Anyang City	870 households
• The third phase of Spanish Town, Anyang City	440 households
• Yangzhuang resettlement community, Anyang City	1100 households
• Renovation of Xinhe Community, Urban Village, Jiaozuo City	680 households
• Jiutangfu Community I, Shangqiu City	1380 households
• Renovation of Donghui Jiatianxia project, Xinxiang City	1500 households
• Phase I, Longyuan Shangyuan, Xinxiang City	480 households
• Smart community of Longhu Century City, Xinyang City	1830 households

## Zhejiang Province

• Hengdasha Water City, Ningbo City	2680 households
• Evergrande Yuhai Tianxia, Ningbo City	6549 households

## Projects

## Hubei province

• Ten people in Baibuting, Wuhan City	440 households
• The fifth phase of Modern City, Wuhan City	708 households
• Kaiyunyue Mansion, Wuhan City	705 households
• Hannan Tiandi, Wuhan City	2100 households
• Jinma Kaixuan City, Wuhan City	1451 households
• Luoia International, Wuhan City	372 households
• Xianglan Waterfront, Wuhan City	482 households
• Purple Orange Garden, Wuhan City	240 households
• Evergrande Jade Longting, Xiangyang City	1700 households
• Qingshui Mingju, Huanggang City	498 households
• Jiukun Jinsha LAN Tai, Jingzhou City	1313 households
• Jinyu International Community, Xiaogan City	676 households
• Ten people in Baibuting, Wuhan City	440 households
• The fifth phase of Modern City, Wuhan City	708 households
• Kaiyunyue Mansion, Wuhan City	705 households
• Hannan Tiandi, Wuhan City	2100 households
• Jinma Kaixuan City, Wuhan City	1451 households
• Luoia International, Wuhan City	372 households
• Xianglan Waterfront, Wuhan City	482 households
• Purple Orange Garden, Wuhan City	240 households
• Evergrande Jade Longting, Xiangyang City	1700 households
• Qingshui Mingju, Huanggang City	498 households
• Jiukun Jinsha LAN Tai, Jingzhou City	1313 households
• Jinyu International Community, Xiaogan City	676 households

## Hunan Province

• Evergrande River BayChangsha City	560 households
• Hengda Cultural Tourism CityChangsha City	2029 households
• 1 Bailun Residence, Changsha City	600 households
• Caihui Xintiandi, Changsha City	1100 households
• Chucai Pavilion, Changsha City	190 households
• Creative Platinum Joy CityChangsha City	917 households
• Xuecheng residential district, Changsha City	1658 households
• Yuhe Yuan, Ditai, Changsha City	1358 households
• Geological homestead Chanosha City	390 households



## Projects

• Residential district of the Sixth Engineering Company, Changsha City.	102 households	• Residential building of Agriculture Commission, Changsha City	356 households
• Dongxu International, Changsha City.	3,752 households	• Phase II, 9 Qingxichuan, Changsha City	466 households
• Fuxin Meiyuan Changsha City.	799 households	• Shengteng Yayuan Phase II, Changsha City	608 households
• Fuxinyuan residential district, Changsha City.	5,000 households	• Shengteng Ya Yuan Phase I, Changsha City	462 households
• Guanghua International ,Changsha City.	487 households	• Yinlinxi Phase II,Changsha City	1760 households
• Guobin Mansion, Changsha City.	836 households	• Tianjiao City, Changsha City	924 households
• Mapping and surveying compound of Land Bureau Changsha City.	400 households	• Baishali, TianxinChangsha City	192 households
• Herun Garden, Changsha City.	2,562 households	• Tianyi Garden, Changsha City	816 households
• Hexin Yuan, Changsha City.	398 households	• Wangjiang Mansion, Wantian, Changsha City	2335 households
• Black Gold Era ,Changsha City.	1,816 households	• Xianglong Prefecture, Changsha City	2355 households
• Resettlement community of Heishi Village, Changsha City.	168 households	• Xiangshui County, Changsha City	660 households
• Ring Asia high-speed rail New City,Changsha City.	1,136 households	• Xinghewan Residential Community, Changsha City	1322 households
• Jinguu Haoting II and III, Changsha City.	564 households	• Xinlinli Phase 3,,Changsha City	1782 households
• Yayuan, Jintian Jinan,Changsha City.	560 households	• Yada International, Changsha City	70 households
• Jinxiu Lanting II, Changsha City.	1,210 households	• Changlong Wan,Changsha City	378 households
• Jiulong Huafu, Changsha City.	693 households	• Hanxi public rental house Changde City	216 households
• Jijun Phase I, Changsha City.	850 households	• Longtai Shangxiang County, Changde City	395 households
• Junyue Yangguang City Phase II, Changsha City.	763 households	• Mingzhu International Community, Changde City	198 households
• Junyue Yangcheng Phase 3 ,Changsha City.	946 households	• Qinglu Yayuan, Chenzhou City	335 households
• The first batch of renovations in Kaifu district, Changsha City.	3,000 households	• Shangpin Lanting, Chenzhou City	1632 households
• Jiayuan residential district, Science University, Changsha City.	300 households	• Shangpin Shuyuan, Chenzhou City	837 households
• Leifeng Science and Technology City, Changsha City.	1,186 households	• Shuian Haoting, Chenzhou City	244 households
• Lijiang Yuan, Changsha City.	132 households	• Xinhewan residential community, Chenzhou City	408 households
• Lianfeng Yuan Residential District II, Changsha City.	498 households	• Baisha Supreme, Hengyang City	1156 households
• Phase I, Lianfengyuan Community, Changsha City.	478 households	• High-speed Rail City, Hengyang City	310 households
• Longxiang JiayuanChangsha City.	380 households	• Hanlin Garden, Hengyang City	556 households
• Meilin Jingyuan Commercial and Residential Building, Changsha City.	527 households	• Hengdong Wangxiang City, Hengyang City	926 households
• Yangguang City, Meilu,Changsha City.	226 households	• Hengdu Mingcheng City, Hengyang City	536 households
• 9 Renmin Road, Ningxiang, Changsha City.	232 households	• Jincheng Huafu II, Hengyang City	775 households
• Separated residential area of Changsha Agricultural Commission.	356 households	• Cigarette factory residence in Hengyang City	318 households
• Lime Garden.Chanasha City.	475 households	• The 2nd and 3rd phases of Romanopolis, Hengyang City	3900 households
		• Shangshuyuan, Hengyang City	180 households
		• Calligraphic Mingdi, Hengyang City	164 households
		• Wanchanghua Prefecture, Hengyang City	150 households
		• Lusheng International, Huaihua City	560 households
		• Qianhona Minadu Phase I. Huaihua City	294 households

## Projects

• Wanlong Water Capital, Huaihua City	443 households	• Taojiang Headquarters base, Yiyang City	190 households
• Yushui Huating, Huaihua City	380 households	• Tongluowan Square, Yiyang City	1120 households
• Jinbo Square, Loudi City	400 households	• Blue Mountain City, Jinpan, Yongzhou City	1152 households
• Xinhua Zhumeng Garden, Loudi City	581 households	• Tongchuang Century New Town, Yongzhou City	530 households
• Yifang New Town and Garden, Loudi City	831 households	• Bangsheng Phoenix City, Yueyang City	3064 households
• Phase 3, Yifang New Town, Loudi City	194 households	• Dexinyuan residential community, Yueyang City	216 households
• Phase 4, Yifang New Town, Loudi City	180 households	• Dongting Mingdi, Yueyang City	576 households
• Innovation • Jiangshan Fu, Shaoyang City	1488 households	• Jinkemei County, Yueyang City	1190 households
• Guihuayuan residential community, Shaoyang City	480 households	• Jinlanwan residential community, Yueyang City	456 households
• Hanlin Mansion, Shaoyang City	185 households	• Junhua – Changjun Li, Yueyang City	398 households
• Huajie Fortune and Caihui, Shaoyang City	294 households	• Longxiang Huacheng, Yueyang City	490 households
• Huashang New Bund, Shaoyang City	1280 households	• Shanhu Egret Island, Yueyang City	680 households
• Huifu Xincheng, Shaoyang City	160 households	• Wanxiang Rui City, Yueyang City	973 households
• Huijing International, Shaoyang City	897 households	• No. 1 Residential district, Tianmen, Zhangjiajie City	1195 households
• Jin Yuhua Ting, Shaoyang City	510 households	• Lotus Garden Zhuzhou City	555 households
• Mingzhu 9 Residential District, Shaoyang City	240 households	• Hangcheng residential area, Zhuzhou City	258 households
• Yinhe Xingzhu, Shaoyang City	256 households	• Kangxinjia Garden, Zhuzhou City	532 households
• Yufeng Homeland, Shaoyang City	187 households	• Liu shanty transformed residential area, Zhuzhou City	192 households
• Zhaowang Mansion, Shaoyang City	600 households	• Mingfeng Garden villa group, Zhuzhou City	124 households
• Zhongchi International, Shaoyang City	522 households	• Phase II of Panlong Century City, Zhuzhou City	972 households
• Central New Town, Shaoyang City	294 households	• Ruijingjia Garden, Zhuzhou City	294 households
• Hengjun I, Xiangtan City	697 households	• Mountains and rivers Sunshine ,Zhuzhou City	113 households
• The second phase of Jianxin City Plaza, Xiangtan City	560 households	• Shitangchong residential district, Zhuzhou City	665 households
• Jianglu renovation community, Xiangtan City	5000 households	• Wangjiang Jinglou, Zhuzhou City	60 households
• Ten li wind load, Xiangtan City	1769 households	• Standing Committee of the Municipal Committee Zhuzhou City	100 households
• Sun City residential district, Xiangtan City	1180 households	• Xinwu Street residential district, Zhuzhou City	494 households
• Xindian Jiayuan, Xiangtan City	340 households	• Xianggeqi, Zhuzhou City	430 households
• Yongda Jiuhua Mansion, Xiangtan City	1366 households	• Liningli Residential District, Zhuzhou City	124 households
• Yunpolice Garden, Xiangtan City	434 households	• Xuexue Residence, Zhuzhou City	486 households
• Derun Square, Yiyang City	689 households	• Yangsan Resettlement Community, Zhuzhou City	448 households
• Hongxinyicheng Phase 1, Yiyang City	1400 households	• Qigu, Yunding, Zhuzhou City	525 households
• Residential building of Procuratorate in Yiyang City	210 households		
• Jiangnan Huafu residential district, Yiyang City	765 households		
• Jin 'an Police Park, Yiyang City	565 households		
• Jinyuhua Prefecture, Yiyang City	1086 households		
• Jianshu of Yiyang City Military Region	97 households		
• Dongting in Junlin, Yiyang City	228 households		
• Taoiana Central Residence. Yiyang City	540 households		

## Guangdong Province

• Longguicheng, Baiyun District, Guangzhou City	1960 households
• Huaxi Valley, Hengda, Qingyuan City	1872 households
• Henada Yuelona Terrace. Foshan City	3360 households



## Projects

• Hengda Yuelong Bay, Zhongshan City	3795 households
• Tengji Imperial Garden, Jiangmen City	1240 households
• Xinghua Center, Shangpin, Yangjiang City	2720 households
• Yueqin Bay, Shanshui, Zhuhai City	1203 households
• Xuri Yulong Garden, Zhuhai City	1890 households

## Guangxi autonomous region

• Hengda Huaifu, Nanning City	1424 households
• Alpine residential district, Nanning City	1242 households
• Chahuayuan residential district, Nanning City	785 households
• Tea Plant Nanning City	273 households
• Dormitories at Chaoyang Primary School Nanning City	254 households
• Urban Management Bureau Nanning City	57 households
• Urban and Rural Planning Institute Nanning City	780 households
• Dormitory of Nanning Materials Administration Bureau	779 households
• First People's Hospita Nanning City	51 households
• Telecom dormitory Nanning City	168 households
Dongsanli residential district, Nanning City	367 households
272Geological team Nanning City	1128 households
• No. 2 Middle School, Nanning City	660 households
• Gangning Garden Community, Nanning City	336 households
• Industrial Technician College Nanning City	138 households
• Guanling residential district, Nanning City	113 households
• Tiancheng Community, Hupan, Nanning City	1029 households
• Dormitory of Huadong Road Primary School, Nanning City	527 households
• Huashang Times Square, Nanning City	334 households
• Huasheng Security Office Building, Nanning City	1537 households
• Huaxing Central City residential district, Nanning City	1476 households
• Nanning Environmental Protection Bureau	998 households
• Official dormitory Nanning City	375 households
• Residential district, Measuring Instrument Factory, Nanning City	952 households
• Dormitory Municipal Construction Committee Nanning City	248 households
• Construction Commission residential district, Nanning City	557 households

• Jinniu Huayuan residential community, Nanning City	77 households
Kangmai Company dormitory Nanning City	583 households
• Jiangwan residential community, Lishui, Nanning City	677 households
• Living area of Nanning Grain Bureau	835 households
• Longteng Residential District, Nanning City	141 households
• Xiangxing Peninsula, Longyu, Nanning City	221 households
• Coal mine shanty community Nanning City	596 households
• Minzu Yuan Community, Nanning City	520 households
• Minghu Mingcheng Residential Community, Nanning City	1026 households
• Dormitory Municipal Procuratorate Nanning City	2576 households
• Renmin Dongduan Primary School Nanning City	158 households
• Shuian New Town residential district, Nanning City	2206 households
• Dormitory of the Bureau of Justice Nanning City	330 households
• Xinjing Jiayuan residential community, Nanning City	559 households
• Yonghe residential district, Nanning City	667 households
• Post and telecommunications equipment dormitory Nanning City	570 households
• Hengda Yujing Peninsula, Qinzhou City	2352 households
• Lianhua Luyang New City, Qinzhou City	110 households
• Renhe Dadi Community, Qinzhou City	354 households
• Qinzhou Water Resources Bureau.	110 households
• Hengda Oasis, Wuzhou City	1936 households
• Fumin Residential Community, Wuzhou City	234 households
• Dingsheng Health Culture Park, Baise City	400 households
• The first phase of shanty community, Baise City	448 households
• Shenzhou No. 1 Residential District, Baise City	277 households
• Yi Biao, Haicheng District, Beihai City	920 households
• Yipin Tianyu, Yinquan, Beihai City	794 households
• Jiangbei shanty town, Chongzuo City	1117 households
• Villa area of Taiping Ancient City, Chongzuo City	216 households
• Shed renovation in Zhongtai Industrial Park, Chongzuo City	3180 households
• Mansion No. 1 Jinshi, Fangchenggang City	416 households
• Bureau of Finance, Guigang City	98 households
• Hanlin Residence Community, Hechi City	338 households
• Haomen International, Hechi City	350 households
• Huijin International Community, Hechi City	500 households

• Jinshi Park, Hechi City	315 households
• Yulong Xuexue Community, Hechi City	300 households
• Yueshanhu Community, Hechi City	192 households
• Hezhou Power Supply Bureau	150 households
• Haomen International Community, Liuzhou City	330 households
• Spring River Flower Moon, Greentown, Yulin City	1780 households

## Hainan Province

• Hengda Yuelong Bay, Haikou City	999 households
• Haitangwan Grand View Garden, Sanya	480 households

## Chongqing

• Hengda Yunhu Shangxian County, Yubei District	1082 households
• Hengda Railway Era, Yubei District	1805 households
• Evergrande Health City, Jiangjin district	3154 households
• Haitang New Town, Rongchang district	2569 households
• Central International Plaza, Fuling district	540 households

## Sichuan Province

• Phase I, Huijing New Town, Chengdu City	820 households
• Huijing New City Phase II, Chengdu City	890 households
• Huijing New City Phase 3, Chengdu City	986 households
• Anjing Courtyard, Chengdu City	120 households
• Baoguang 2 District, Chengdu City	150 households
• Xijiangyue, Chongzhou, Chengdu City	874 households
• Oriental Venice, Chengdu City	1690 households
• Asean Yayuan, Chengdu City	2309 households
• High-speed rail new city Chengdu City	460 households
• Guanqufang, Chengdu City	380 households
• Hexin Peacock City Phase 3, Chengdu City	1986 households
• He Xinlinglong Mansion, Chengdu City	80 households
• Mengchaiwan Residence Jianchuan, Chengdu City	238 households
• 1 Anhu Lake, Jintaijiang, Chengdu City	568 households
• Jinxiang Ling Mansion, Chengdu City	1128 households
• Jinxiang Square, Chengdu City	218 households

## Projects

• Chengdu Essence.Yuerong Mansion	616 households
• Le to Champagne City, Chengdu City	1861 households
• Liuli Apartment, Chengdu City	1055 households
• Rose Garden, Chengdu City	268 households
• Dengxia Xiyuan, Chengdu City	60 households
• Shangyang Gourmet, Chengdu.	381 households
• Shenyue Four Seasons Huating, Chengdu City	341 households
• Ink Jiangshan, Chengdu City	366 households
• Four Seasons Huating, Chengdu City	486 households
• Wenqu Constellation, Chengdu City	916 households
• Branch Apartment of Armed Police Force, Chengdu City	185 households
• Yucheng Family, Chengdu	1986 households
• Yucheng Jiayuan, Chengdu City	562 households
• Yucheng Meiyuan, Chengdu City	398 households
• Yucheng Courtyard, Chengdu City	489 households
• Yuerong Prefecture, Chengdu City	668 households
• Yuerong County, Chengdu City	453 households
• No. 1 Zhongnuclear, Chengdu City	1350 households
• Evergrande Children World, Meishan City	6144 households
• Evergrande Jade Bay, Luzhou City	2141 households
• Feicui Binjiang, Luzhou City	4798 households
• Fenghuang City, Luzhou City	4985 households
• Fenghuangji, Luzhou City	4582 households
• Shangxi, Gaolu, Luzhou City	360 households
• Jiihuafu, Luzhou City	2950 households
• Jiangdu Garden Phase II, Luzhou City	2650 households
• Jiangyu Changtan, Luzhou City	1859 households
• Liziyuan, Luzhou City	950 households
• Licheng Peninsula, Luzhou City	3,500 households
• Hengda Yujing Peninsula, Yibin City	1037 households
• Jinxiu Garden, Binjiang, Yibin City	1283 households
• Binjiang New Town, Yibin City	781 households
• Yi Binjiang, Yibin City	1114 households
• A view of Binjiang River in Yibin City	689 households
• Jinbi International Community, Yibin City	641 households
• Jinxiu Garden, Yibin City	1268 households
• Shengshi Longdu, Yibin City	920 households
• Shui'an Shantown, Yibin City	238 households



• Tongqitai, Yibin City	651 households
• No 1 Xuefu, Yibin City	1257 households
• Central International Plaza, Yibin City	540 households
• Zhongye Yipin, Yibin City	385 households
• Shili Shuxiang Mansion, Bazhong City	504 households
• Yicheng Phase II, Bazhong City	2638 households
• Hongyan, Dazhaizi, Dazhou City	660 households
• Mansion 9, Dazhou City, China	1280 households
• Qinqinli, Deyang City	1280 households
• Guang 'an City, a famous city	3108 households
• Detai Jiayuan, Liangshan autonomous Prefecture	1906 households
• Wenan Haoting, Liangshan Autonomous Prefecture	1326 households
• Hengda Yuelong Terrace, Nanchong City	1188 households
• Spring Courtyard, Nanchong City	641 households
• Pangshan Peninsula, Hongtong, Nanchong City	2008 Households
• Hongtong Spring Flower City, Nanchong City	2011 households
• Tan Fu, Hongtong Jade City, Nanchong City	963 households
• Tanxuan, Hongtong Jade City, Nanchong City	218 households
• Danyuan, Hongtong Jade City, Nanchong City	456 households
• Tan Yue, Hongtong Jade City, Nanchong City	661 households
• Nanchong Yard in Hongtong, Nanchong City	896 households
• Tianyue Mansion, Huabang, Nanchong City	1601 households
• Tianyue Center, Nanchong City	1063 households
• Xuefu Garden, Nanchong City	1650 households
• Baima Jiayi, Neijiang City	1696 households
• Royal One, Neijiang City	874 households
• Jiayunting, Neijiang City	2664 households
• Jiang and Chengfu, Neijiang City	3885 households
• Lexian Garden, Neijiang City	1700 households
• Jiayuan, Cotton and Linen Factory, Neijiang City	1696 households
• Guoao Residence, Shangfu, Neijiang City	660 households
• Guoao Xingdu, Shangfu, Neijiang City	487 households
• Xiejia Riverbank, Neijiang City	1278 households
• Wenqu Constellation, Ya 'an City	916 households
• shouchaung chengji ZiYang City	1428 households

Guizhou province

• Evergrande Children World in Guiyang	2395 households
• Hengda Ruifu, Guiyang City	1822 households
• Jinfulia Dream City, Guiyang City	1800 households
• Hengda City, Zunyi City	2287 households
• Luanshui Family, Zunyi City	80 households
• Fenghuang Oasis Kangyang vacation in Zunyi City	1196 households
• Fortune New City, Zunyi	1863 households
• Sunshine Coast, Bijie City	1680 households
• Yufu Park, Bijie City	440 households
• Huangping Zhuangyuan Mansion, Qiandongnan Autonomous Prefecture	363 households
• Hanlinhua Prefecture, Qiandongnan Autonomous Prefecture	1968 households
• Ruixing Ginza residential district, Liupanshui City	512 households
• Century of Wantianpan Prefecture, Liupanshui City	11000 households
• Sizhou International City, Qiandongnan Autonomous Prefecture	2520 households
• Shangcheng Xiyuan, Qiandongnan autonomous Prefecture	150 households
• Miao–jiang Huating, Qiandongnan Autonomous Prefecture	212 households
• Dexi Compound in Qiandongnan Autonomous Prefecture	1352 households
• Phase II of Kaiyuan District, Anshun City	360 households
• Jinxiu Qian Cheng, Anshun City	388 households

Yunnan Province

• Evergrande Sunshine Peninsula, Kunming City	4341 households
• Evergrande Cultural Tourism City, Kunming	3792 households
• Jialize Evergrande Health Valley, Kunming	1351 households
• Renovation of old buildings in Baima district, Kunming	580 households
• Taoyuan residential district, Kunming City	2000 households
• Zixi Yufu, Qujing City	218 households
• Mingyangshang County, Chuxiong Autonomous Prefecture	110 households

Gansu Province

• Evergrande Jade Garden, Lanzhou City	817 households
• Finance and Trade Center district, Qingyang City	585 households
• Fortune Center Building, Qingyang City	450 households

Ningxia Autonomous region

• Renovation of Great Wall property, Yinchuan City	146 households
--	----------------

Qinghai province

• Shibangyunshan county, Golmud city	520 households
--------------------------------------	----------------

Xinjiang autonomous Region

• Hengda Yufu, Urumqi City	288 households
• Impression of Imperial Garden in Urumqi	630 households
• Phase 1 Wanda Plaza, Shihezi City	1666 households
• Phase 2 Wanda Plaza, Shihezi City	502 households
• Shihezi Medical College	220 households

• 1 Cangshan Mountain, Xishuangbanna Autonomous Prefecture	820 households
• Binglang Residential District, Honghe Autonomous Prefecture	150 households
• Minxin Homeland, Honghe Autonomous Prefecture	1690 households
• Four Seasons Garden, Dehong Autonomous Prefecture	190 households
• Zhengyang Huafu, Dali Autonomous Prefecture	982 households

Shanxi Province

• Evergrande Children World, Xi 'an	2400 households
• Household district of Railway Public in Xi 'an	105 households
• Lijun Xiyuan, Xi 'an City	311 households
• Office building of Hongguang Village, Xi 'an	342 households
• Cuijiazhuang community, Xi 'an	1876 households
• One California, Xianyang City	56 households
• Dongxing Garden, Xixiang, Hanzhong City	571 households
• Jinkai Yujing, Hanzhong City	562 households
• Fenghuilong Court, Hanzhong City	860 households
• Binjiang Jiayuan, Hanzhong City	105 households

